

A NEW APPROACH TO GALAXY MORPHOLOGY: I. ANALYSIS OF THE *SLOAN DIGITAL SKY SURVEY EARLY DATA RELEASE*

ROBERTO G. ABRAHAM

Department of Astronomy & Astrophysics, University of Toronto, 60 St. George Street, Toronto, ON,
 M5S 3H8, Canada.
 abraham@astro.utoronto.ca

SIDNEY VAN DEN BERGH

Dominion Astrophysical Observatory, Herzberg Institute of Astrophysics, National Research Council, 5071
 West Saanich Road, Victoria, British Columbia, V9E 2E7, Canada.
 sidney.vandenbergh@nrc-cnrc.gc.ca

PREETHI NAIR

Department of Astronomy & Astrophysics, University of Toronto, 60 St. George Street, Toronto, ON,
 M5S 3H8, Canada.
 nair@astro.utoronto.ca
Draft version February 2, 2008

ABSTRACT

In this paper we present a new statistic for quantifying galaxy morphology based on measurements of the Gini coefficient of galaxy light distributions. This statistic is easy to measure and is commonly used in econometrics to measure how wealth is distributed in human populations. When applied to galaxy images, the Gini coefficient provides a quantitative measure of the inequality with which a galaxy’s light is distributed amongst its constituent pixels. We measure the Gini coefficient of local galaxies in the *Early Data Release* of the *Sloan Digital Sky Survey* and demonstrate that this quantity is closely correlated with measurements of central concentration, but with significant scatter. This scatter is almost entirely due to variations in the mean surface brightness of galaxies. By exploring the distribution of galaxies in the three-dimensional parameter space defined by the Gini coefficient, central concentration, and mean surface brightness, we show that all nearby galaxies lie on a well-defined two-dimensional surface (a slightly warped plane) embedded within a three-dimensional parameter space. By associating each galaxy sample with the equation of this plane, we can encode the morphological composition of the entire SDSS g^* -band sample using the following three numbers: {22.451, 5.366, 7.010}. The i^* -band sample is encoded as: {22.149, 5.373, and 7.627}.

Subject headings: galaxies: evolution — galaxies: classification

1. INTRODUCTION

In 1926 Hubble introduced his “tuning fork” classification system, which has proved to be admirably suited to classification of the vast majority of nearby bright field galaxies (Hubble 1926). Since all of the galaxy prototypes used by Hubble (1926,1936) are luminous giants or supergiants it is not surprising that his classification system is not well suited to the classification of low-luminosity galaxies (van den Bergh 1960ab; Sandage et al. 1987, 1994). Furthermore Hubble’s classification system loses resolution in the cores of rich clusters, where almost all galaxies belong to classes E, S0 or SB0. Other types of problems arises when one attempts to extend the Hubble classification system to galaxies that are situated at large look-back times. In the first place the dichotomy between normal and barred spirals, which lies at the heart of the Hubble tuning fork classification system, appears to break down at large look-back times (van den Bergh et al. 1996, 2002; Abraham et al. 1999) as bars become increasingly rare at large z . Secondly, the fraction of peculiar galaxies, *i.e.* objects that do not fit comfortably within the Hubble scheme increases precipitously with increasing redshift (Griffiths et al. 1994; Cowie, Hu & Songaila 1995; Glazebrook et al. 1995; Driver, Windhorst & Griffiths 1995; Abraham et al. 1996, 1999; van den Bergh et al. 1996, 2000, 2001; Brinchmann et al. 1998; Driver et al. 1998;

Marleau & Simard 1998; Dickinson 1999; Dickinson et al. 2000. See Ellis 2001 and Abraham & van den Bergh 2001, 2002 for recent reviews). In view of these difficulties it appears desirable to search for more general types of classification systems that might be applicable to dwarf and giant galaxies, to both field and cluster galaxies, and to objects at large redshifts.

A first attempt to formulate such a very general classification system was made by Morgan (1958,1959) and codified in the Yerkes system. In the Yerkes system galaxies are classified primarily on the basis of their central concentration of light on the sequence $a - af - f - fg - g - gk - k$, where objects of type k have the highest central concentration of light and late-type integrated spectra, whereas galaxies of type a have a low central concentration of light and early-type integrated spectra. By design, Morgan’s system tracks the principal correlation internal to the Hubble sequence, namely that between bulge-to-disk ratio and integrated color.

The Yerkes system has never been widely adopted, but the fundamental idea behind it has recently undergone a renaissance. The basis for Morgan’s system is the estimation of a single parameter (central concentration of light), that is both fully quantifiable (using techniques unavailable to Morgan, who estimated concentration by eye) and robust at low signal-to-noise levels. Both of these qual-

ities are highly desirable in morphological investigations (particularly those of distant galaxies based on data from the *Hubble Space Telescope*). A number of studies have therefore used central concentration as a *de facto* stand-in measure for bulge-to-disk ratio, and, by inference, a measure of position on the Hubble sequence (Doi et al. 1993; Abraham et al. 1994, 1996, 1999; Brinchmann et al. 1998; Glazebrook et al. 1998; Takamiya 1999; Menanteau et al. 1999; 2000; Bershad, Jangren & Conselice 2000; Volonteri et al. 2000; Trujillo et al. 2001; Kuchinski et al. 2001; Corbin et al. 2001; Shimasaku et al. 2001). Concentration measures are also used as a tracer of morphology in the *Sloan Digital Sky Survey* (SDSS) database. (We refer the reader to York et al. 2000 for an overview of the SDSS). A comparison of SDSS concentration measures to visual morphological classifications is given in Shimasaku et al. (2001), who find them well-correlated with Hubble type. And in what might (in some respects) be considered a modern re-appraisal of the fundamental basis of the Yerkes system, Kauffmann et al. (2002) has shown that central concentration is strongly correlated with luminosity-weighted stellar age and star-formation history for 80,000 galaxies in the SDSS.

In both the low-redshift and high-redshift contexts we have just described, measurements of central concentration have been based on simple aperture photometry. Such concentration index measurements therefore rely upon two key assumptions: Firstly, the measurements depend upon an assumed symmetry in the galaxies. (In the case of concentration measures based on elliptical apertures it is assumed that galaxy isophotes can be well described by ellipses, while in studies which use circular apertures it is assumed that inclination effects are small.) The second assumption that underlies aperture-based concentration index measurements is that galaxy images have a well-defined center. Inspection of the images of high-redshift galaxies (many of which are strongly asymmetric and distorted) shows that neither of these assumptions is likely to be fulfilled when studying galaxies in the distant Universe. This has lead us to seek out an alternative, more general, formulation of galaxy concentration that does not involve any kind of aperture photometry.

In §2 we present our proposed alternative definition of galaxy concentration, based on measurement of the Gini coefficient (Gini 1912), a familiar tools of econometrics which does not appear to have been used in an astronomical context before now. We describe how the Gini coefficient can be viewed as a generalized measure of concentration that is applicable to galaxies of arbitrary shape, and which does not even require that a galaxy image have a single well-defined nucleus. We show that the Gini coefficient can be used to describe the morphology of all galaxy types, from perfectly symmetric nearby objects to the most distant, most wildly distorted images of strongly gravitational-lensed background galaxies.

In §3 we measure the Gini coefficient for a magnitude-limited sample of $930\ g^* < 16$ mag galaxies taken from the SDSS¹, and explore the relationship between the Gini

coefficient and central concentration. We will show that these parameters are strongly correlated, but that they do not measure precisely the same thing. In cases where it is meaningful to measure *both* the Gini coefficient and central concentration (e.g. in nearby undistorted systems with well-defined centers), the difference between these two quantities is strongly correlated with mean surface brightness. Even more surprising is the fact that *all galaxies in the nearby Universe (irrespective of age, mass, star-formation history, dynamical state or morphology) fall on a two-dimensional surface within the three dimensional parameter space defined by the Gini coefficient, mean surface brightness, and central concentration*. The implications of this are considered in §4, where we also describe our plans for future papers in this series. Our main conclusions are summarized in §5.

2. THE GINI COEFFICIENT

The Lorenz curve (Lorenz 1905) is commonly used in economics to describe the inequality in a population's distribution of wealth. In this context the curve is constructed by plotting the cumulative proportion of income as a function of population rank. In a population where all individuals have exactly the same income (where, for example, 20% of the population has 20% of a country's total wealth), the Lorenz curve is a straight diagonal line with a slope of unity, called the line of equality. If there is any inequality in income, then the Lorenz curve falls below the line of equality. For example, in the extreme case where a tiny proportion of the population has nearly all the income, the Lorenz curve is flat and near zero for most of its length until rising precipitously near its end (see Figure 1).

The total amount of inequality is conveniently parameterized using a summary statistic of the Lorenz curve, the Gini coefficient, G . The geometric meaning of G is illustrated in Figure 1. The Gini coefficient is simply the ratio between area A (the area enclosed between the line of equality and the Lorenz curve), to the total triangular area under the line of equality ($A+B$). The Gini coefficient ranges from a minimum value of zero, when all individuals are equal, to a maximum of one in a population where all the wealth is concentrated in a single individual².

A more formal statistical description of the Lorenz curve and Gini coefficient complements the intuitive description given above, by highlighting the close connection between the Gini coefficient and the absolute mean difference in a population, and by showing how the statistic can be computed with trivial computational cost. Let X be a positive random variable with a cumulative distribution function $F(x)$, and let X_i denote one of n random deviates drawn from X . The Lorenz curve is then given by:

$$L(p) = \frac{1}{X} \int_0^p F^{-1}(u) du. \quad (1)$$

The Gini coefficient is defined as the mean of the absolute difference between all combinations of X_i :

¹We follow the convention of using asterisks following filter names to indicate that magnitudes are given in the preliminary SDSS AB system. The reader is referred to Fukugita et al. (1996), Hogg et al. (2001) and Smith et al. (2002) for a discussion of the SDSS filter system and its calibration.

²In other words, $G = 0$ for a perfect communist society and $G = 1$ for an absolute monarchy where all riches belong to the king!




FIG. 1.— The geometric interpretation of the Gini coefficient based on the Lorenz Curve. The x-axis corresponds to the quantile of the distribution, the y-axis corresponds to the cumulative proportion. The Lorenz curve for a perfectly equal distribution corresponds to the diagonal line of equality. In the figure, a schematic Lorenz curve divides the area beneath the line of equality into two area, A and B. The greater the deviation of a measured Lorenz curve from the line of equality, the greater the inequality. The Gini coefficient corresponds to the ratio of area A to the total area under the diagonal A+B.

$$G = \frac{1}{2\bar{X}n(n-1)} \sum_{i=1}^n \sum_{j=1}^n |X_i - X_j| \quad (2)$$

where $\bar{X}$ is the mean value over all X_i . Numerical tests have shown that the estimated error on a measurement of G can be reliably obtained using a statistical bootstrap (Efron & Tibshirani 1993; Dixon et al. 1987), so it is desirable to use a faster algorithm for calculating G than is provided by this formula. A very efficient way to calculate G (Glasser 1962) is to first sort the X_i into increasing order and then do a simple summation:

$$G = \frac{1}{\bar{X}n(n-1)} \sum_{i=1}^n (2i - n - 1)X_i \quad (n > 2). \quad (3)$$

The computational cost of calculating G is therefore dominated by the computational cost of a single one-dimensional sort (which rises as $n \log n$ for an efficient sorting algorithm).

In the context of galaxy morphology, G is calculated by applying Equation (3) to a list of pixel values sorted by intensity. Can a connection then be made between measures of G as defined above and more conventional morphological parameters? To a first approximation, treating G as a sort of generalized concentration index is not too far off the mark. As shown in the next section, there is a strong correlation between the Gini coefficient and central concentration for local galaxies. This suggests that G might be a suitable replacement for concentration measures in studies of high-redshift galaxies, as a large fraction of these objects are distorted and peculiar. Measurements

of G are completely independent of galaxy shape, do not rely on any kind of aperture photometry, and do not even require that the galaxy image have a single well-defined center. (The implications of the fact that many distant galaxy images do not have a well defined centers will be investigated in Paper II of this series). However, the use of G as a straightforward substitute for concentration indices is something of an oversimplification, at least for nearby galaxies where the fraction of peculiar systems is small. As illustrated in Figure 2, it is easy to show that galaxy images can be transformed in many ways which preserve G while completely changing measures of concentration. Clearly these two quantities do *not* simply measure the same thing, and G captures something fundamentally new in the image that is not probed by concentration measures alone.

Finally, we conclude this section by noting that the Gini coefficient may prove of general interest to astronomers in a number of areas unrelated to galaxy morphology. As a robust measure of dispersion that is insensitive to outliers and constrained to the unit interval, we suggest that it might prove a useful replacement for the variance in quantifying the spread of distributions that are strongly non-gaussian

3. APPLICATION TO THE SLOAN DIGITAL SKY SURVEY

3.1. Sample Definition

Measurements of the Gini coefficient were made from the g^* -band and i^* -band “Atlas” images of all 930 galaxies with known redshifts and Petrosian magnitudes $g^* < 16$ mag in the *Early Data Release* (EDR) of the *Sloan Digital Sky Survey* (SDSS). We refer the reader to Stoughton



FIG. 2.— Three systems with essentially the same Gini coefficient but very different central concentrations. (Left) An R -band image of NGC 2715 from the digital catalog of Frei et al. (1996). (Middle) An image obtained by jackknife replication of the original NGC 2715 image. Since each pixel in the galaxy’s image is simply a permutation of the original pixel set, G remains unchanged. (Right) An image constructed by co-adding the original image of NGC 2715 with a rotated and displaced version of itself. Except within the region of overlap the shape of the pixel intensity distribution is preserved, so G remains nearly unchanged.

et al. (2002) for a description of the SDSS EDR, and simply note here that the Atlas images are small calibrated “postage stamp” images of individual galaxies in the EDR database. The galaxies investigated span a broad range of morphological types and luminosities. Measurements were made using software written by one of us (RGA) which determines G , as well as central concentration C , and mean surface brightness $\langle\mu\rangle$, and many other photometric and morphological parameters. C is determined using the procedure outlined in Abraham et al. (1994; 1996). In this procedure second-order image moments are used to define a best-fitting outer elliptical aperture whose area is equivalent to that of the galaxy above an isophotal threshold. A smaller inner aperture is also defined with the same shape but with a semi-major axis length that is 30% of that of the outer ellipse. The concentration index is then given as the ratio of the flux in the inner and outer apertures. The mean surface brightness $\langle\mu\rangle$ is determined in the most straightforward manner possible by simply dividing the total galaxy flux above an isophotal threshold over the galaxy area enclosed within the same threshold. The same isophotal threshold was used for measurements of C , G , and $\langle\mu\rangle$, and the isophotal level chosen for each filter is described below.

We decided to forego analysis of the SDSS u^* -band and z^* -band data, which are shallow. For simplicity we will not discuss measurements obtained from the r^* -band Atlas images in the present paper, because the salient trends obtained with this filter are simply intermediate between the g^* and i^* -band trends presented here. A summary of measurements obtained for each object is presented in Table 1 (an electronic supplement to this paper). We have assumed $H_0 = 70 \text{ km sec}^{-1} \text{ Mpc}^{-1}$, $\Omega_M = 0.3$, and $\Omega_\Lambda = 0.7$ when computing the distance moduli and absolute magnitudes in this paper.

Each SDSS Atlas image encompasses only a single object and is “segmented” from the sky background to retain only those pixels assigned to the galaxy³. The images have

been pre-processed to remove foreground stars and other contaminants. Our magnitude limit of $g^* = 16 \text{ mag}$ was chosen on the basis of visual inspection of the galaxy images, and represents what is in our view the limit beyond which detailed morphological work becomes challenging in the SDSS data. Our impression is that at $g^* = 16 \text{ mag}$ reliable Hubble types can only be assigned within very broad bins, and luminosity classifications on the basis of spiral structure is impossible, but simple classification into broad early-vs-late or spiral-vs-elliptical-vs-peculiar bins remains relatively straightforward.

We now turn to our choice of isophotal threshold level used in our measurements of C , G , and $\langle\mu\rangle$. Images from the SDSS EDR Atlas dataset are already segmented from the sky, so it is worthwhile to first consider why an additional thresholding step is needed. The SDSS photometric pipeline is optimized for the processing of galaxies somewhat fainter than those studied in this paper. Some Atlas images of bright galaxies exhibit artifacts which prevent direct use of the images without additional pre-processing to better extract the galaxy from the background sky. The main problem is that in many cases too much sky is assigned to the galaxy images. This problem manifests itself as poor sky definition; for example long streaks of sky sometimes dominate the area of the some Atlas frames, leaving the galaxy lying in a corner of the postage stamp image. We estimate that problems of this sort occur in at least 15% of the images. Small errors such as these result in little overall additional light being assigned to the galaxy (and thus they make negligible difference to inferred total magnitudes), but by inflating measured galaxy areas they can skew morphological measurements. In addition, separating galaxy pixels from sky pixels by using a cut at a pre-defined isophotal threshold is a fairly standard part of most morphological investigations, so the small amount of post-processing we have done might also be viewed as simply a standardization of the Atlas data which enables us to more easily compare them with previous work⁴.

³In the lexicon of image processing “segmentation” refers to the process in which pixels are tagged as belonging to the galaxy or to the sky or to superposed objects. The EDR Atlas images are segmented by the SDSS Photo image processing pipeline (Lupton et al. 2001), retaining data values only for pixels assigned to the galaxy. The remaining pixels in the Atlas image are assigned a uniform pedestal value of 1000 ADU.

⁴It is worth noting that we were unable to locate photometric zeropoints for each Atlas image in the SDSS EDR database, and consequently these were “reverse engineered” using the Petrosian radii and Petrosian magnitudes in the database. By definition, the Petrosian magnitude for an SDSS galaxy is determined from the total flux inside twice the r^* -band Petrosian radius. We determined the total flux within this aperture

We chose to measure our morphological parameters at fixed isophotal thresholds of $g^* = 24.5$ mag arcsec $^{-2}$ and $i^* = 24.0$ mag arcsec $^{-2}$ for the g^* and i^* images, respectively. These isophotal levels were intentionally chosen to be rather bright, for two reasons: Firstly, we wanted the isophote in question to be reachable for all galaxies in the dataset, even those imaged under comparatively poor conditions. Secondly, we wanted to ensure that the isophote in question remained attainable in the rest frame under moderately deep imaging of high- z galaxies with HST, so that the measurements in this paper might be compared with those for high redshift galaxies in a future paper.

3.2. The relationship between Gini coefficient and central concentration.

Figure 3 illustrates the relationship between the Gini coefficient and central concentration for both the g^* -band and i^* -band images in our sample. Error bars on G ($\pm 1\sigma$) are shown, and were determined from 100 bootstrap replications (Efron & Tibshirani 1993) of the pixel distribution for each galaxy. Bootstrap replication cannot be used to estimate the errors on C , and no error bars on C are shown. However, on the basis of the Monte Carlo simulations described in Abraham et al. (1994) we expect error bars on C to be approximately similar in size to the error bars on G (and this expectation will be reinforced by results presented below in §3.3). The effects of seeing on these measurements is also small, because even at the limits of our data the galaxies are large relative to the seeing disk. By convolving synthetic point-spread functions against a set of 10 objects representative of the faintest galaxies in our sample, we estimate that in the extreme case of moving from an object with the best seeing in the sample to the worst seeing in the sample, faint galaxies studied here would have G altered systematically downward by about the same size as the 1σ random error bar shown in the figure.

The straight line in Figure 3 corresponds to a slope of unity and a y -axis intercept of 0.1 (i.e. a given galaxy has a slightly greater value of G than C). There is clearly a very strong correlation between G and C in both g^* -band and i^* -band. The slope of the G vs. C relation remains similar in both bands. The trend is linear with weak curvature at the low- C , low- G end, and a slope near unity at the high- C , high- G end. More high- G , high- C systems are seen in the i^* -band, as expected from the increased prominence of bulges relative to disks as one moves further into the red. We conclude on the basis of this figure that, on the whole, *G makes an excellent substitute for C and relies on fewer basic assumptions about the shape of the galaxy being measured.*

Another obvious feature of these plots is that the g^* -band images exhibit somewhat greater scatter relative to the i^* -band images about the line of unit slope. The crucial point to note, however, is that in both bands the scatter is far larger than the errors on individual measurements of G . Therefore at least one additional parameter is needed to explain the relationship between the Gini coefficient and central concentration. To learn more about the nature of the scatter in the G vs. C relationship, Figure 4

presents a multi-panel plot of G vs. C parameter space in the i^* -band with plot symbol colors keyed to a range of intrinsic physical quantities (mean surface brightness, absolute magnitude, integrated color) and possible sources of bias (redshift, apparent axial ratio, apparent magnitude). This figure demonstrates three important points:

1. The scatter in the G vs. C relationship is not dominated by systematic biases in the sample selection, redshift distribution, or galaxy inclination.
2. The weak trends we expect to see as a function of apparent magnitude and color, which are described below, are in fact seen. Objects with very low central concentration are expected to be very late-type and therefore mostly blue and faint. One therefore expects a gradient in color and apparent magnitude, with mostly blue galaxies at low C and mostly red galaxies at high C . Somewhat more interesting is the observation that, over the range of C dominated by spirals, the bluest galaxies (at a given concentration) tend to have the highest G . This can also be interpreted in a manner consistent with our understanding of how star formation occurs in galaxies: At a given concentration (which is closely connected with bulge-to-disk ratio), the more unequal the distribution of starlight (i.e. the more irregular the structure), the more star-formation is occurring.
3. There is a rather obvious and very surprising trend with mean surface brightness that would seem to explain nearly all the scatter in the G vs. C plane. If this scatter is really a function of only a single parameter, then all galaxies in nearby regions of the Universe (regardless of morphology, luminosity, mass or star-formation history) might turn out to lie on a single surface in G vs. C vs. $\langle\mu\rangle$ parameter space.

3.3. A universal structural surface for nearby galaxies

Figure 5 focuses on the parameters explored in the first panel in the previous figure. The figure shows in greater detail the distribution of galaxies in G vs. C vs. $\langle\mu\rangle$ parameter space in both g^* -band and i^* -band, and explores in a little greater detail the sensitivity of the trends seen to redshift and inclination. Symbol colors are once again keyed to mean surface brightness, and cover the full range of this $\langle\mu\rangle$ spanned by the data. The top row in the Figure shows the full dataset, while the bottom row shows G vs. C vs. $\langle\mu\rangle$ for a “clean” subset of galaxies with axial ratios $b/a > 0.5$ and $z < 0.05$.

The systematic variation with $\langle\mu\rangle$ in the scatter of the G vs. C plane is obvious in data from both filter bands. A given mean surface brightness maps nearly perfectly onto a well-defined stratum on this diagram, so that at any central concentration, the spread in G is a purely monotonic function of mean surface brightness. Each stratum of galaxies delineated by $\langle\mu\rangle$ appears to follow a linear relationship on the G - C plane. Little difference is seen between the full sample and the “clean” subset in either band. These trends are seen to be quite robust. The idea

and computed the zeropoint needed to recover the Petrosian magnitude in the SDSS database. We therefore still rely on the existing SDSS photometric calibration (Fukugita et al. 1996; Hogg et al. 2001; Smith et al. 2002) for the accuracy of our photometry.




FIG. 3.— Gini coefficient vs. central concentration for the g -band sample (top) and for the i -band sample (bottom). The solid line corresponds to unity slope. While the overall slope of the distributions remains similar in both bands, the g^* -band sample exhibits slightly greater scatter and more high- G , high- C systems are seen in the i^* -band. Note that the galaxies span a broad range of morphologies, from pure disk systems at low- C to highly centrally concentrated pure $R^{1/4}$ -law elliptical galaxies at high- C .

that the stratified distribution of galaxies seen in Figure 5 is the manifestation of the points lying on a single surface in a three dimensional parameter space is investigated in Figures 6 and 7. These show projections of the galaxy distribution in G vs. C vs. $\langle\mu\rangle$ space. The right-hand panel in each figure shows the parameter space seen from a view obtained by rotating the coordinate system in a manner to illustrate the thinness of the surface defined by the data points. The very marked decrease in the scatter of the points from this perspective confirms that the galaxies lie on a thin surface which is well-fit by a plane. To quantify this, we determined the equations of the minimum variance planes using a principal component analysis. Results

from this analysis are shown at superposed on the data points in each of the panels of the figure. The best fitting planes are described by the following formulae:

g^* -band:

$$\langle\mu\rangle = 22.451 + 5.366 \times C - 7.010 \times G \quad (4)$$

i^* -band:

$$\langle\mu\rangle = 22.149 + 5.373 \times C - 7.627 \times G \quad (5)$$

These formulae are useful in two obvious ways. Firstly, they allow us to describe the entire SDSS g^* -band and i^* -band samples using two pairs of three numbers: {22.451,




FIG. 4.— An investigation into the possible sources of scatter in the relationship between Gini coefficient and central concentration for the *i*-band sample. Symbol colors in each panel are keyed to a different measurement, with the range of each measurement indicated by the color bar shown as an inset in each panel. Moving clockwise from the top left, panels are keyed to: (a) mean surface brightness, (b) absolute magnitude, (c) redshift, (d) axial ratio, (e) integrated color, (f) apparent magnitude. The strongest systematic source of scatter in *G* vs *C* is clearly mean surface brightness, though weak trends are also seen as a function of other quantities. See text for details. Note that error bars have been omitted for the sake of clarity.

5.366, 7.010} (*g*^{*}-band) and {22.149, 5.373, 7.627} (*i*^{*}-band). Secondly, they represent convenient formulae that allow one to compute a purely photometric quantity, $\langle\mu\rangle$, from two non-parametric global morphological quantities.

4. DISCUSSION

4.1. Interpretation of the the characteristic surface

The finding that nearby galaxies map out a unique surface in a parameter space constructed from *G*, *C* and $\langle\mu\rangle$ is surprising. Our experience from many studies of local galaxies has generally been that the diversity of galaxy ages, masses, morphologies and star formation histories results in scatter diagrams when the physical parameters

for these galaxies are plotted against each other, unless carefully defined subsamples are first taken. The mapping of all nearby galaxies onto a single surface in this particular parameter space regardless of variations in morphology and other obvious differences between the galaxies seems an unexpected link between all these systems. How much of this effect is simply due to internal correlations between *G*, *C*, and $\langle\mu\rangle$ introduced by our techniques for measuring them?

To test whether the characteristic surface is entirely artificial and due to subtle internal correlations in the definitions of our parameters, we generated two sets of simulated galaxies using different distributions of bulge-to-disk ratios (described below) and determined *G*, *C* and $\langle\mu\rangle$ from




FIG. 5.— Further investigation into the possible sources of scatter in the relationship between Gini coefficient and central concentration. The left column shows results for the g^* -band sample, with the right sample showing results i^* -band. Each panel shows G vs C with symbol colors keyed to mean surface brightness. The top row corresponds to the full galaxy sample, while the bottom row shows a “clean” subset of galaxies with axial ratios $\frac{b}{a} > 0.5$ and $z < 0.05$ (bottom). Note the systematic trend in the scatter as a function of surface brightness seen in each panel. Little difference is seen between the full sample and the subset.

these using exactly the same procedure used in analysing the SDSS observations. We emphasize that the toy models we are about to describe are not intended to in any way model the real SDSS data — our purpose is simply to ask whether very different models converge to the observed surfaces in G , C and $\langle \mu \rangle$ -space because of some underlying fundamental degeneracy. For simplicity, each family of galaxies was described as an exponential disk with an exponential bulge, with one set of models having a distribution of bulge-to-total flux ratios that is skewed heavily to late type galaxies while the other set has a distribution of bulge-to-total flux ratios that is nearly uniform. The distributions of bulge-to-total flux ratios for our models are shown in Figure 8. The corresponding distributions in G vs. C vs. $\langle \mu \rangle$ space are shown in Figure 9, along with best-fit planes to the simulated data determined using principal components analysis.

Several interesting things can be gleaned from Figure 9.

Firstly, the thinness of the surface C vs. G vs. $\langle \mu \rangle$ -space should be viewed as somewhat artificial, since quite thin distributions in multi-parameter parameter space are also recovered from both sets of simulations with totally different bulge-to-total flux distributions. However, the shape of the surface is clearly a strong function of the assumed bulge-to-total flux ratio, differing not only for the two simulations when compared against each other, but also differing markedly from the observed data. For example, the direction of slope (tilting toward the observer in this orientation) of both best-fit model planes in the left-hand panel of Figure 9 is different to that seen in the SDSS data (tilting away from the observer when viewed at the same orientation). Each model seems to result in points that can be reasonably well fitted to a plane, but when both models are combined the fit to the plane becomes quite poor, as seen in the right hand panel of the figure. We conclude then that the topology and orientation (but




FIG. 6.— Distribution of the g^* -band sample in C vs. G vs. $\langle\mu\rangle$ parameter space. The best-fit plane determined from a principal component analysis is shown as a transparent red surface. The projection at left is shown with the coordinates rotated to euler angles $\{60^\circ, 0^\circ, -45^\circ\}$ and illustrates the scatter in the points, while the projection at right shows the best-fit plane edge-on with euler angles $\{-27.5^\circ, -1.3^\circ, -53.7^\circ\}$. Note the remarkable thinness of the projected surface in the edge-on view. See text for details




FIG. 7.— As for the previous figure, except for the i^* -band sample. The view at left corresponds to euler angles $\{60^\circ, 0^\circ, -45^\circ\}$, while the edge-on view at the right corresponds to euler angles $\{-28.9^\circ, -1.8^\circ, -52.5^\circ\}$.

not necessarily the thinness) of the characteristic surface is not degenerate. Therefore the C vs. G vs. $\langle\mu\rangle$ parameter space may provide a useful tool for quantifying the overall structural distribution of galaxies, and we very tentatively suggest that the flatness of the surface seen in our observed data might be associated with an underlying homology in the underlying galaxy distributions.

4.2. Sensitivity of results to different methods used to compute central concentration

There is at present no standard definition of central concentration that is universally used in the analysis of galaxy images. The plots presented here have been based on C as determined from the moment-based technique described in Abraham et al. (1994). This concentration measure is computed from flux ratios within elliptical apertures




FIG. 8.— Bulge-to-total ratios for the simple models described in the text. These correspond to a distribution dominated by late-type systems (model 1, red dashed line) and a distribution of bulge-to-total ratios that is close to uniform (model 2, blue solid line). As noted in the text, the purpose of these models is to test for degeneracies in C vs. G vs. $\langle\mu\rangle$ space, and neither model is intended to closely match the bulge-to-total ratio in the SDSS survey.

determined from second-order image moments. It is interesting to consider whether any of the results presented in this paper depend on the precise definition of central concentration we have used. More specifically, could the results obtained here also be found using the alternative definition of central concentration determined by the SDSS Photo pipeline? The SDSS concentration indices are based upon ratios of Petrosian radii determined using circular apertures, and have the benefit of distance independence but the disadvantage of not accounting for the effects of galaxy inclination. The top panel of Figure 10 shows C vs. G vs. $\langle\mu\rangle$ parameter space determined using SDSS Petrosian concentration indices. The trends presented in earlier figures remain, but they are washed out, and the stratification of scatter as a function of surface brightness is less clear. We conclude that the SDSS concentration indices are certainly useful, but retain a decided preference for our own definition of C for use in studying very bright galaxies. The galaxies studied in the present paper span only a tiny redshift range, so the major benefits of Petrosian-based SDSS concentration indices do not yet outweigh the noise added by the use of circular apertures. In any case, the important point is that our general results do not appear to depend strongly on the precise definition of central concentration used in this paper.

4.3. Applications of the characteristic surface to studies of galaxy evolution

A promising avenue for using the ideas presented in this paper to quantify galaxy evolution is to use the narrow surface in C vs. G vs. $\langle\mu\rangle$ parameter space as a fiducial benchmark. Placing galaxies in the relevant parameter space can be done without dynamical measurements (which are difficult to obtain at high redshifts). Position relative to the surface defined at low redshift might then be used to calibrate evolution in the same manner that position relative to the local Tully-Fisher and Fundamental Plane relations have provided robust calibrators for evolution in size, surface brightness, and mass-to-light ratio (Vogt et al 1997; Vogt 2001; van Dokkum et al. 2001; van Dokkum & Franx 2001). Evolutionary changes could manifest themselves as either a displacement of points on the surface (if we assume that all high-redshift galaxy forms are represented somewhere within the SDSS EDR, with a changing mix but no fundamentally new forms represented at high redshifts), or as a distortion of the surface itself. Observation of the latter effect would provide concrete evidence for new classes of high-redshift systems that have since disappeared. In any case, reproducing this surface poses a concrete and simple test of galaxy formation models, with obvious application to calibrating n -body/hydro simulations.

As redshift increases, measurements of C become ever less meaningful as the galaxy population becomes increasingly distorted. However, since measurements of G and $\langle\mu\rangle$ are possible for galaxies of arbitrary shape, we expect that mapping the loci of galaxy distributions in the pa-




FIG. 9.— [Left] Distribution of 600 data points in C vs. G vs. $\langle\mu\rangle$ space corresponding to model 1 (disk-dominated) and model 2 (quasi-uniform bulge-to-total ratio). Model 1 is shown in red and model 2 is shown in blue. Note that the zero point of the surface-brightness scaling is arbitrary (to emphasize that measures of C and G are *morphological* in nature and do not depend on photometric zero-points). Best-fit PCA planes are also shown as transparent surfaces, keyed to the corresponding colors of the data points. The view is shown at the standard orientation with euler angles $\{60^\circ, 0^\circ, -45^\circ\}$ for comparison with the left-hand panels in Figures 6 and 7. Note that at the direction of slope of both best-fit planes is different to that seen in the SDSS data (tilting toward the observer in this orientation, while the planes tilt away from the observer in the same orientation in the SDSS observations). [Right] The same points and surfaces show at left, except viewed edge-on with respect to the plane that is the best fit to model 2. Note that the surface remains thin but is quite strongly warped, so that the best-fit to model 1 is a poor fit to model 2. The distribution of data points is clearly not degenerate with respect to the underlying models.

parameter space defined by these two quantities alone will prove interesting. A particularly useful application would be to map out strongly lensed background galaxies onto such a parameter space. Such a program might allow morphological work to be extended to the extremes of redshift space, though of course the important issue of synchronization to a uniform rest wavelength and accounting for cosmological dimming over a range of redshifts would still need to be addressed. Extension of the present study to higher redshifts will be the subject of future work.

5. CONCLUSIONS

In this paper we have introduced the Gini coefficient as a new tool for characterizing the morphologies of galaxy images. This statistic is a robust measure of dispersion that is confined to the unit interval. To a first approximation the Gini coefficient of a galaxy image can be viewed as a type of generalized concentration index that does not rely on any underlying symmetry in a galaxy, and which does not even require a galaxy's center to be well-defined. While the Gini coefficient does not measure exactly the same thing as a conventional concentration index, it does appear to be sufficiently close to concentration that it can probably be used as a meaningful substitute for concentration in studies of high-redshift systems where many galaxies are expected to be distorted or peculiar. For local galaxies the Gini coefficient should be viewed as a useful supplement to, and not a replacement for, measures of concentration.

On the basis of an analysis of 930 $g^* < 16$ mag nearby galaxies from the *Early Data Release* of the *Sloan Digital*

Sky Survey, we have quantified the relationship between the Gini coefficient and central concentration of galaxies. We find that the scatter in the tight G vs. C relationship is surprisingly well-correlated with mean surface brightness $\langle\mu\rangle$, and show that nearby galaxies occupy a thin two-dimensional surface embedded within the three-dimensional G vs. C vs. μ space, and present equations describing the best-fit plane describing this surface. By associating each galaxy sample with the equation of this plane, we encode the morphological composition of the entire SDSS g^* -band sample as $\{22.451, 5.366, 7.010\}$, and the i^* -band sample as: $\{22.149, 5.373, \text{and } 7.627\}$. We have demonstrated that a thin surface in this parameter space is a generic feature of simulated galaxy distributions, although the detailed topology and orientation of the surface depends on the structural distribution of the galaxies in the sample. By defining a simple point of reference for evolutionary studies of changing morphology, position relative to the universal surface in G vs. C vs. μ space provides an objective zero-point defining the structural distribution of nearby galaxies. In this context, it will be interesting to learn how this surface is shifted (or distorted) as a function of redshift and environment.

Acknowledgments

It is a pleasure to thank Karl Glazebrook, Henk Hoekstra, Howard Yee and Richard Ellis for useful suggestions. We are grateful to the referee, Matt Bershady, for many useful comments which greatly improved this paper. Timely as-

Gini vs SDSS C Keyed to Mean Surface Brightness




FIG. 10.— Gini coefficient plotted as a function of central concentration recorded in the SDSS database. Symbols are keyed to mean surface brightness. The relative effectiveness of different measures of central concentration can be determined by comparing this figure with figure 5.

sistance in the production of 3D figures was received from the technical staff at Wavemetrics Inc., and is gratefully acknowledged. Finally, we would also like to thank the many members of the SDSS team for their years of hard work and dedication in putting the survey together.

Funding for the creation and distribution of the SDSS Archive has been provided by the Alfred P. Sloan Foundation, the Participating Institutions, the National Aeronautics and Space Administration, the National Science Foundation, the U.S. Department of Energy, the Japanese Monbukagakusho, and the Max Planck Society. The SDSS

Web site is <http://www.sdss.org/>.

The SDSS is managed by the Astrophysical Research Consortium (ARC) for the Participating Institutions. The Participating Institutions are The University of Chicago, Fermilab, the Institute for Advanced Study, the Japan Participation Group, The Johns Hopkins University, Los Alamos National Laboratory, the Max-Planck-Institute for Astronomy (MPIA), the Max-Planck-Institute for Astrophysics (MPA), New Mexico State University, Princeton University, the United States Naval Observatory, and the University of Washington.

REFERENCES

- Abraham, R. G., Valdes, F., Yee, H. K. C. & van den Bergh, S. 1994, ApJ, 432, 75
- Abraham, R. G., Tanvir, N. R., Santiago, B. X., Ellis, R. S., Glazebrook, K., van den Bergh, S. 1996a, MNRAS, 279, L47
- Abraham, R. G., van den Bergh, S., Ellis, R. S., Glazebrook, K., Santiago, B. X., Griffiths, R. E., Surma, P. 1996b, ApJS, 107, 1
- Abraham, R. G., Merrifield, M. R., Ellis, R. S., Tanvir, N. R., & Brinchmann, J. 1999, MNRAS, 308, 569.
- Abraham, R. G. 1999, Ap. Space Sci., 269-270, 323
- Abraham, R. G. & van den Bergh, S. 2001, Science, 293, 1273
- Abraham, R. G. & van den Bergh, S. 2002. To appear in "Disks of Galaxies: Kinematics, Dynamics and Perturbations," Puebla, Mexico, November 2001. To be published in the ASP Conference Series
- Bershady, M. A., Jangren, A., & Conselice, C. J. 2000, AJ, 119, 2645
- Brinchmann, J., Abraham, R. G., Schade, D., Tresse, L., Ellis, R. S., Lilly, S. J., Le Fevre, O., Glazebrook, K., Hammer, F., Colless, M., Crampton, D., & Broadhurst, T. 1998, ApJ, 500, 75.
- Corbin, M. R., Urban, A., Stobie, E., Thompson, R. I., & Schneider, a. G. 2001, ApJ, 551, 23
- Cowie, L. L., Hu, E. M., & Songaila, A. 1995, AJ, 110, 1576
- Doi, M., Fukugita, M., & Okamura, S. 1993, MNRAS, 264, 832.
- Dickinson, M. 1999. In *After the Dark Ages: When Galaxies were Young (the Universe at $2 < z < 5$)*. Edited by S. Holt and E. Smith. American Institute of Physics Press, p. 122.
- Dickinson, M. et al. 2000, ApJ, 531, 624
- Dixon, P.M., Weiner, J., Mitchell-Olds, T., & Woodley, R. 1987. Ecology, 68, 1548-1551.
- Driver, S. P., Windhorst, R. A., & Griffiths, R. E. 1995, ApJ, 453, 48
- Driver, S. P., Fernandez-Soto, A., Couch, W. J., Odewahn, S. C., Windhorst, R. A., Phillips, S., Lanzetta, K., & Yahil, A. 1998, ApJLett, 496, L93
- Efron, B. and Tibshirani, R. J. "An Introduction to Bootstrap", Chapman-Hall, New York, 1993.
- Ellis, R. S. 2001, PASP, 113, 515
- Fall, S. M. & Efstathiou, G. 1980, MNRAS, 193, 189
- Frei, Z., Guhathakurta, P., Gunn, J.E., Tyson, J.A., 1996, AJ, 111, 174
- Fukugita, M., Ichikawa, T., Gunn, J.E., Doi, M., Shimasaku, K., & Schneider, D.P. 1996, AJ, 111, 1748
- Gini, C. 1912. Reprinted in *Memorie di metodologia statistica* (Ed. E. Pizetti and T. Salvemini.) Rome: Libreria Eredi Virgilio Veschi, 1955.

- Glazebrook, K., Ellis, R., Santiago, B., & Griffiths, R. 1995, MNRAS, 275, L19
- Glazebrook, K., Abraham, R., Santiago, B., Ellis, R., & Griffiths, R. 1998, MNRAS, 297, 885
- Glasser, G.J. 1962. J. Amer. Stat. Assoc. 57, 648-654
- Griffiths, R. E. et al. 1994, ApJ, 437, 67
- Hogg, D.W., Schlegel, D.J., Finkbeiner, D.P., & Gunn, J.E. 2001, AJ, 122, 2129
- Hubble, E. P. 1926. ApJ, 64, 321
- Hubble, E. P. 1936, "The Realm of the Nebulae", Yale University Press.
- Kauffmann, G., Heckman, T. M., White, S. D. M., Charlot, S., Tremonti, C., Peng, E. W., Seibert, M., Brinkmann, J., Nichol, R. C., & SubbaRao M., Submitted to MNRAS (astro-ph/0205070).
- Kuchinski, L. E., Madore, B. F., Freedman, W. L., & Trewhella, M. 2001, AJ, 122, 729
- Lorenz, M.O. 1905. Amer. Stat. Assoc. 9, 209-219
- Lupton, R., Gunn, J. E., Ivezić, Z., Knapp, G. R., Kent, S., & Yasuda, N. 2001, in ASP Conf. Ser. 238, Astronomical Data Analysis Software and Systems X, ed. F. R. Harnden, Jr., F. A. Primini, and H. E. Payne (San Francisco: Astr. Soc. Pac.), p. 269
- Marleau, F. R. & Simard, L. 1998, ApJ, 507, 585
- Menanteau, F., Abraham, R. G., & Ellis, R. S. 2001, MNRAS, 322, 1
- Menanteau, F., Ellis, R. S., Abraham, R. G., Barger, A. J., & Cowie, L. L. 1999, MNRAS, 309, 208
- Morgan, W. W. 1959, PASP, 71, 394
- Morgan, W. W. 1958, PASP, 70, 364
- Sandage, A. & Tammann, G.A., 1987, A Revised Shapley-Ames Catalog of Bright Galaxies (Carnegie Institute of Washington)
- Sandage, A. & Bedke, J. 1994 The Carnegie Atlas of Galaxies (Washington: Carnegie Institution)
- Shimasaku, K. et al. 2001, AJ, 122, 1238
- Smith, J.A., Tucker, D.L., Kent, S.M., et al. 2002, AJ, 123, 2121
- Stoughton, C., Lupton, R.H., Bernardi, M., et al. 2002, AJ, 123, 485 (Early Data Release)
- Takamiya, M. 1999, ApJS, 122, 109
- Trujillo, I., Aguerri, J. A. L., Gutiérrez, C. M., & Cepa, J. 2001, AJ, 122, 38
- van den Bergh, S. 1960a ApJ 131,215
- van den Bergh, S. 1960b ApJ 131,558
- van den Bergh, S. 1960c Pub. David Dunlap Obs. Vol.2, No.6
- van den Bergh, S., Abraham, R. G., Ellis, R. S., Tanvir, N. R., Santiago, B. X. 1996, AJ, 112, 359.
- van den Bergh, S., Cohen, J. G., Hogg, D. W. & Blandford, R. 2000, AJ, 120, 2190).
- van den Bergh, S., Cohen, J.G., & Crabbe, C. 2001, AJ, 122, 611.
- van Dokkum, P. G., Franx, M., Kelson, D. D., & Illingworth, G. D. 2001, ApJ, 553, L39
- van Dokkum, P. G. & Franx, M. 2001, ApJ, 553, 90
- Volonteri, M., Saracco, P., Chincarini, G., & Bolzonella, M. 2000, A&A, 362, 487
- Vogt, N. P. 2001, ASP Conf. Ser. 240: Gas and Galaxy Evolution, 89
- Vogt, N. P. et al. 1997, ApJ, 479, L121
- York, D.G., Adelman, J., Anderson, J.E., et al. 2000, AJ, 120, 1579

Table 1. SDSS Early Data Release $g^* < 16$ mag Sample

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C ^d	G ^e	ΔG ^f	$\langle \mu \rangle$ ^g	b/a ^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000752-08-2-0359-0061	0.01710	34.34	13.58	0.437	0.503	0.016	20.56	0.750	27.776	14.915	0.394	0.422	0.013	21.40	0.736	28.627
001359-03-3-0041-0098	0.02726	35.36	15.24	0.357	0.497	0.011	20.40	0.746	27.998	16.419	0.269	0.375	0.009	21.30	0.750	28.627
000094-07-4-0487-0080	0.02644	35.30	15.63	0.299	0.393	0.009	20.90	0.608	27.944	16.540	0.247	0.315	0.008	21.58	0.608	28.593
000094-07-3-0476-0114	0.02294	34.98	14.13	0.419	0.559	0.010	20.30	0.318	27.968	15.808	0.295	0.423	0.011	21.17	0.321	28.659
000094-07-3-0363-0107	0.04518	36.48	14.69	0.297	0.417	0.008	20.67	0.743	27.974	15.771	0.240	0.330	0.007	21.50	0.708	28.577
000094-07-2-0264-0079	0.04207	36.32	14.74	0.495	0.603	0.016	20.01	0.640	27.743	16.179	0.395	0.517	0.015	20.92	0.656	28.592
000756-08-6-0327-0120	0.03956	36.18	14.06	0.520	0.598	0.017	20.29	0.931	27.981	15.380	0.463	0.546	0.015	20.98	0.930	28.645
000125-07-5-0200-0071	0.04237	36.33	14.98	0.377	0.490	0.011	20.48	0.528	27.909	16.403	0.297	0.407	0.011	21.33	0.569	28.476
000752-08-1-0409-0259	0.01480	34.03	15.14	0.190	0.273	0.004	21.11	0.506	27.971	15.850	0.166	0.230	0.003	21.68	0.486	28.815
000125-07-2-0126-0040	0.06063	37.13	15.00	0.294	0.470	0.007	20.34	0.786	27.711	15.887	0.206	0.409	0.007	20.92	0.763	28.483
001356-02-4-0056-0303	0.01251	33.66	16.41	0.139	0.173	0.003	21.50	0.747	27.957	17.009	0.154	0.182	0.004	22.00	0.682	28.586
000756-08-4-0343-0131	0.02531	35.20	14.72	0.263	0.355	0.008	20.77	0.793	28.002	15.617	0.223	0.301	0.006	21.42	0.810	28.660
000125-07-6-0350-0099	0.02523	35.19	14.57	0.234	0.360	0.005	20.61	0.274	27.916	15.824	0.175	0.250	0.005	21.58	0.268	28.568
000094-07-1-0325-0086	0.01628	34.23	12.95	0.433	0.583	0.009	20.14	0.199	27.896	13.192	0.435	0.568	0.008	20.58	0.213	27.781
000756-08-6-0425-0073	0.03619	35.99	15.13	0.307	0.444	0.010	20.63	0.423	27.972	16.402	0.248	0.349	0.010	21.48	0.392	28.632
000125-07-3-0101-0037	0.03929	36.17	14.68	0.434	0.477	0.015	20.93	0.787	27.974	14.770	0.400	0.391	0.013	21.62	0.759	27.678
000752-08-6-0451-0069	0.04296	36.36	15.50	0.228	0.292	0.007	21.13	0.806	28.006	16.185	0.186	0.229	0.005	21.81	0.812	28.620
000125-07-5-0426-0091	0.03686	36.03	14.82	0.361	0.465	0.011	20.63	0.833	27.912	16.257	0.293	0.387	0.009	21.42	0.960	28.479
000752-08-6-0020-0065	0.02677	35.32	14.37	0.435	0.581	0.010	20.00	0.458	27.991	16.012	0.332	0.468	0.011	20.99	0.470	28.640
000125-07-1-0384-0028	0.04499	36.47	15.09	0.396	0.476	0.014	20.63	0.664	27.959	15.999	0.333	0.413	0.014	21.40	0.631	28.314
000752-08-6-0502-0128	0.01393	33.89	14.15	0.449	0.489	0.015	20.82	0.804	28.025	15.440	0.440	0.496	0.016	21.32	0.734	28.640
000125-07-1-0168-0084	0.04172	36.30	14.51	0.433	0.523	0.010	20.52	0.685	27.903	15.957	0.353	0.455	0.012	21.24	0.667	28.629
000094-07-3-0288-0091	0.04412	36.42	14.57	0.405	0.491	0.012	20.67	0.656	27.967	16.127	0.318	0.415	0.014	21.39	0.599	28.569
000756-08-3-0560-0083	0.04752	36.59	14.58	0.516	0.601	0.016	20.27	0.884	28.025	16.154	0.396	0.511	0.015	21.03	0.839	28.747
000756-08-1-0367-0128	0.00871	32.87	13.97	0.237	0.367	0.004	20.69	0.243	27.962	14.925	0.194	0.310	0.004	21.43	0.214	28.826
000756-08-3-0306-0050	0.03997	36.21	14.68	0.350	0.478	0.012	20.53	0.363	28.022	16.228	0.298	0.379	0.016	21.38	0.362	28.678
000756-08-2-0301-0086	0.03906	36.15	14.88	0.502	0.585	0.018	20.31	0.669	27.797	16.245	0.421	0.538	0.015	20.99	0.738	28.655
000125-07-2-0333-0049	0.04917	36.66	14.37	0.334	0.421	0.011	20.75	0.881	27.698	15.765	0.282	0.331	0.012	21.57	0.855	28.499
001356-02-2-0083-0208	0.02998	35.57	14.99	0.234	0.295	0.006	21.09	0.835	27.774	16.106	0.181	0.206	0.005	21.87	0.931	28.599
000752-08-4-0349-0057	0.02818	35.44	15.06	0.442	0.553	0.015	20.39	0.547	27.948	16.491	0.336	0.461	0.015	21.14	0.616	28.641
000125-07-5-0388-0081	0.03241	35.74	15.12	0.326	0.397	0.015	20.91	0.636	27.905	16.439	0.270	0.300	0.012	21.78	0.619	28.473
000752-08-3-0153-0039	0.03189	35.71	14.59	0.502	0.605	0.015	20.12	0.755	28.045	16.128	0.367	0.495	0.013	21.02	0.795	28.785
000756-08-3-0643-0162	0.02507	35.18	15.39	0.211	0.257	0.006	21.24	0.928	28.023	15.962	0.174	0.216	0.004	21.86	0.931	28.650
000752-08-2-0453-0130	0.04919	36.66	14.58	0.320	0.410	0.011	20.76	0.586	27.772	15.922	0.247	0.293	0.010	21.72	0.613	28.618
000094-07-1-0161-0096	0.02414	35.10	13.17	0.428	0.512	0.007	20.57	0.921	27.931	14.388	0.362	0.450	0.007	21.27	0.889	28.764
000094-07-5-0321-0089	0.04316	36.37	15.83	0.241	0.244	0.014	21.43	0.871	28.004	17.044	0.221	0.206	0.014	22.05	0.717	28.543
000756-08-6-0496-0049	0.00613	32.10	12.28	0.470	0.585	0.007	20.15	0.370	27.977	13.517	0.430	0.529	0.008	20.94	0.404	28.597
000094-07-5-0360-0101	0.02735	35.37	14.08	0.458	0.545	0.013	20.45	0.729	27.957	14.910	0.407	0.510	0.012	21.05	0.627	28.527
000094-07-3-0433-0077	0.02670	35.32	15.03	0.280	0.405	0.008	20.58	0.393	27.964	15.929	0.223	0.309	0.006	21.37	0.370	28.574
000756-08-2-0468-0104	0.02553	35.22	15.29	0.230	0.306	0.007	20.98	0.641	27.784	15.958	0.192	0.252	0.006	21.63	0.645	28.646
000094-07-3-0309-0080	0.02758	35.39	14.88	0.283	0.386	0.008	20.78	0.244	27.967	15.055	0.271	0.388	0.006	21.27	0.234	27.634
001359-03-5-0047-0010	0.02771	35.40	14.09	0.324	0.449	0.009	20.45	0.264	27.954	15.471	0.256	0.348	0.008	21.45	0.247	28.538
000756-08-4-0230-0202	0.03451	35.88	14.75	0.269	0.390	0.011	20.73	0.855	28.005	15.717	0.227	0.332	0.009	21.41	0.878	28.655
000094-07-4-0293-0091	0.04426	36.43	14.63	0.435	0.539	0.014	20.39	0.807	27.954	16.228	0.339	0.432	0.014	21.26	0.797	28.615
000752-08-4-0258-0043	0.03475	35.90	14.69	0.261	0.299	0.008	21.22	0.584	28.043	16.004	0.206	0.211	0.008	22.00	0.551	28.682
000125-07-1-0166-0079	0.04565	36.50	14.39	0.429	0.515	0.013	20.59	0.780	27.905	15.575	0.375	0.460	0.012	21.21	0.787	28.472
000094-07-1-0519-0091	0.02127	34.82	13.54	0.493	0.559	0.010	20.47	0.868	27.906	15.235	0.433	0.510	0.013	21.17	0.868	28.717
000756-08-4-0399-0021	0.01854	34.52	15.01	0.323	0.505	0.008	20.34	0.510	28.010	14.706	0.391	0.606	0.008	20.43	0.548	28.665
000125-07-2-0265-0036	0.04610	36.52	14.85	0.458	0.558	0.014	20.33	0.757	27.707	16.062	0.383	0.493	0.012	21.04	0.719	28.402
000752-08-5-0316-0110	0.06380	37.24	15.02	0.420	0.508	0.014	20.60	0.783	27.985	16.381	0.355	0.440	0.015	21.34	0.860	28.368
000125-07-4-0025-0021	0.01711	34.34	12.53	0.470	0.586	0.008	20.10	0.360	27.953	13.882	0.408	0.518	0.008	20.98	0.371	28.577
000125-07-3-0385-0129	0.02864	35.47	15.04	0.387	0.531	0.008	20.20	0.764	27.970	16.045	0.324	0.493	0.008	20.84	0.758	28.498
000094-07-5-0415-0127	0.02498	35.17	13.81	0.537	0.613	0.014	20.26	0.607	27.959	15.184	0.454	0.562	0.013	20.93	0.526	28.555
000752-08-5-0472-0129	0.05230	36.80	15.56	0.322	0.359	0.016	21.09	0.711	27.981	16.954	0.288	0.299	0.016	21.87	0.570	28.581
000752-08-4-0435-0112	0.02973	35.55	15.24	0.301	0.380	0.013	20.97	0.534	28.014	16.643	0.231	0.290	0.013	21.75	0.370	28.654
000125-07-3-0327-0068	0.06005	37.11	15.30	0.365	0.500	0.011	20.38	0.964	27.970	16.179	0.280	0.420	0.010	21.08	0.976	28.560
000094-07-2-0123-0090	0.05835	37.04	14.39	0.416	0.493	0.011	20.71	0.772	27.739	15.991	0.352	0.435	0.011	21.37	0.847	28.497
001339-02-3-0035-0108	0.02333	35.02	14.60	0.272	0.403	0.006	20.59	0.775	27.994	15.593	0.210	0.319	0.005	21.38	0.805	28.652
000756-08-4-0680-0184	0.05450	36.89	15.05	0.355	0.466	0.015	20.66	0.430	28.015	16.611	0.277	0.347	0.015	21.63	0.356	28.637
000125-07-2-0284-0081	0.04237	36.33	14.57	0.325	0.416	0.013	20.88	0.181	27.705	16.463	0.234	0.285	0.009	21.77	0.241	28.542
000125-07-3-0359-0086	0.02887	35.49	15.43	0.251	0.302											

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000094-07-3-0510-0118	0.03656	36.01	14.70	0.509	0.592	0.014	20.23	0.668	27.972	16.270	0.400	0.509	0.016	21.05	0.654	28.592
000756-08-1-0252-0048	0.04816	36.62	14.36	0.433	0.502	0.015	20.64	0.693	27.951	14.808	0.425	0.495	0.014	21.17	0.719	27.967
001356-02-3-0060-0156	0.02910	35.51	14.45	0.526	0.615	0.017	20.09	0.535	27.986	15.607	0.489	0.577	0.017	20.80	0.594	28.551
000094-07-6-0382-0110	0.04156	36.29	14.26	0.417	0.506	0.012	20.52	0.860	27.933	15.800	0.311	0.406	0.011	21.44	0.881	28.578
000756-08-4-0311-0133	0.03958	36.18	14.81	0.383	0.483	0.015	20.64	0.737	28.009	16.153	0.331	0.411	0.013	21.43	0.724	28.657
000094-07-5-0462-0095	0.01384	33.88	13.16	0.289	0.388	0.005	20.62	0.355	27.984	14.696	0.176	0.218	0.004	21.75	0.305	28.560
000094-07-5-0112-0082	0.02838	35.45	14.88	0.295	0.411	0.009	20.64	0.443	27.953	15.891	0.226	0.328	0.007	21.45	0.413	28.538
000125-07-2-0301-0040	0.02672	35.32	14.32	0.421	0.519	0.011	20.47	0.933	27.710	15.626	0.130	0.463	0.012	21.18	0.330	28.540
000125-07-2-0293-0102	0.01993	34.68	13.43	0.523	0.640	0.010	19.95	0.407	27.707	14.594	0.427	0.580	0.010	20.62	0.331	28.500
000094-07-1-0300-0014	0.04520	36.48	13.62	0.403	0.491	0.009	20.62	0.746	27.903	15.223	0.348	0.422	0.011	21.35	0.762	28.731
000756-08-4-0533-0121	0.06768	37.37	14.22	0.471	0.553	0.013	20.47	0.691	28.010	15.761	0.402	0.492	0.013	21.16	0.690	28.680
000094-07-6-0397-0031	0.02131	34.82	12.73	0.486	0.572	0.008	20.33	0.961	27.943	14.112	0.438	0.523	0.009	21.06	0.973	28.580
000125-07-4-0138-0114	0.04162	36.29	14.65	0.262	0.328	0.008	21.07	0.632	27.967	15.849	0.212	0.237	0.006	21.86	0.679	28.608
001336-02-1-0092-0175	0.03064	35.62	15.37	0.282	0.435	0.008	20.52	0.581	27.925	16.072	0.270	0.427	0.009	21.03	0.616	28.791
000756-08-2-0427-0089	0.02124	34.82	13.85	0.411	0.524	0.014	20.19	0.702	27.797	14.941	0.303	0.394	0.012	20.94	0.708	28.645
000752-08-5-0527-0082	0.03978	36.19	14.32	0.502	0.563	0.021	20.51	0.800	27.980	15.729	0.463	0.542	0.022	21.10	0.813	28.583
000094-07-6-0422-0078	0.02198	34.89	13.95	0.543	0.634	0.013	20.06	0.908	27.942	15.374	0.446	0.561	0.013	20.80	0.882	28.616
000756-08-4-0565-0145	0.03399	35.85	14.89	0.186	0.224	0.004	21.32	0.828	28.055	15.954	0.150	0.148	0.004	22.06	0.809	28.681
001336-02-3-0063-0191	0.02949	35.54	13.61	0.462	0.559	0.010	20.39	0.735	28.005	15.252	0.363	0.455	0.011	21.20	0.742	28.669
000094-07-6-0309-0111	0.03058	35.62	14.66	0.243	0.363	0.005	20.69	0.954	27.937	15.384	0.202	0.310	0.005	21.35	0.951	28.584
000094-07-3-0295-0114	0.04622	36.53	14.81	0.355	0.445	0.012	20.71	0.595	27.971	16.235	0.279	0.357	0.011	21.62	0.485	28.578
000094-07-3-0186-0066	0.03875	36.14	14.41	0.310	0.419	0.008	20.77	0.875	27.974	15.440	0.250	0.336	0.005	21.52	0.868	28.586
000756-08-4-0232-0093	0.03363	35.82	14.30	0.333	0.467	0.011	20.43	0.598	28.008	15.491	0.242	0.360	0.008	21.27	0.633	28.670
000756-08-2-0502-0033	0.00863	32.85	13.26	0.238	0.279	0.003	21.24	0.699	27.859	14.572	0.213	0.214	0.004	21.94	0.737	28.685
001356-02-3-0043-0131	0.01204	33.57	14.25	0.295	0.405	0.006	20.70	0.931	27.979	14.970	0.319	0.427	0.008	21.18	0.920	28.586
000094-07-6-0533-0143	0.04061	36.24	14.84	0.477	0.557	0.016	20.52	0.962	27.935	16.555	0.383	0.491	0.016	21.14	0.894	28.544
001336-02-4-0064-0138	0.03148	35.68	14.67	0.459	0.553	0.015	20.34	0.936	27.997	15.793	0.384	0.494	0.012	21.12	0.928	28.650
000125-07-1-0260-0082	0.04290	36.36	14.13	0.479	0.575	0.012	20.26	0.776	27.905	15.517	0.413	0.514	0.011	21.02	0.728	28.700
000752-08-4-0518-0137	0.02894	35.49	14.29	0.529	0.610	0.015	20.27	0.574	28.017	15.728	0.433	0.560	0.015	20.81	0.665	28.598
000125-07-1-0328-0078	0.05375	36.86	14.90	0.366	0.434	0.013	20.76	0.728	27.887	16.137	0.314	0.358	0.014	21.61	0.678	28.681
000752-08-4-0518-0139	0.02819	35.44	15.45	0.236	0.311	0.006	21.15	0.520	28.012	16.275	0.211	0.279	0.006	21.70	0.398	28.670
000752-08-3-0042-0068	0.04745	36.58	13.85	0.402	0.470	0.010	20.78	0.716	28.046	15.385	0.350	0.396	0.010	21.54	0.795	28.672
000125-07-1-0166-0096	0.04759	36.59	14.94	0.305	0.406	0.009	20.84	0.339	27.902	16.604	0.243	0.314	0.009	21.65	0.421	28.720
001356-02-2-0070-0187	0.02625	35.28	15.02	0.331	0.414	0.010	20.89	0.783	27.736	15.820	0.323	0.398	0.013	21.48	0.736	28.590
000756-08-1-0653-0128	0.03776	36.08	14.09	0.271	0.357	0.007	20.89	0.469	27.953	15.485	0.215	0.242	0.008	21.79	0.574	28.811
001336-02-3-0012-0066	0.05425	36.88	15.55	0.276	0.429	0.012	20.38	0.964	28.001	16.216	0.246	0.383	0.009	20.96	0.954	28.630
000756-08-5-0649-0023	0.02457	35.13	15.30	0.304	0.427	0.008	20.61	0.796	28.004	16.330	0.230	0.352	0.008	21.33	0.786	28.608
000094-07-1-0541-0058	0.03663	36.01	14.24	0.418	0.514	0.011	20.48	0.905	27.906	15.715	0.349	0.422	0.014	21.33	0.866	28.647
000756-08-3-0492-0094	0.01237	33.63	13.68	0.313	0.434	0.007	20.65	0.341	28.026	15.091	0.232	0.334	0.006	21.53	0.375	28.680
000756-08-1-0708-0217	0.03439	35.87	15.51	0.241	0.277	0.009	21.34	0.857	27.962	16.604	0.211	0.230	0.007	21.94	0.677	28.819
000756-08-3-0552-0027	0.03932	36.17	15.03	0.395	0.518	0.012	20.50	0.823	28.026	16.004	0.342	0.454	0.011	21.19	0.791	28.660
000756-08-1-0269-0130	0.03601	35.98	14.85	0.208	0.277	0.005	21.15	0.654	27.970	15.946	0.155	0.173	0.004	21.98	0.572	28.811
000125-07-3-0242-0060	0.05825	37.04	14.28	0.451	0.541	0.014	20.47	0.805	27.966	15.751	0.384	0.478	0.014	21.19	0.818	28.523
000125-07-4-0200-0027	0.04502	36.47	14.59	0.436	0.529	0.014	20.43	0.934	27.952	16.197	0.342	0.441	0.011	21.27	0.946	28.640
000094-07-3-0333-0065	0.05653	36.97	15.14	0.274	0.378	0.008	20.51	0.869	27.962	16.207	0.212	0.300	0.006	21.60	0.893	28.563
000752-08-4-0533-0226	0.04378	36.41	15.00	0.454	0.565	0.019	20.26	0.989	28.026	15.853	0.424	0.523	0.018	20.91	0.995	28.123
000094-07-3-0295-0121	0.04451	36.44	14.49	0.321	0.436	0.009	20.65	0.337	27.974	16.114	0.265	0.327	0.010	21.59	0.373	28.605
000756-08-3-0294-0040	0.01866	34.53	12.71	0.486	0.576	0.009	20.27	0.848	28.029	14.007	0.443	0.526	0.010	21.03	0.840	28.655
000756-08-4-0290-0094	0.02911	35.51	13.88	0.285	0.360	0.007	20.90	0.733	28.016	15.149	0.212	0.244	0.006	21.82	0.739	28.679
000756-08-4-0200-0158	0.02527	35.20	14.24	0.282	0.418	0.006	20.62	0.219	28.013	15.779	0.214	0.285	0.005	21.67	0.222	28.690
000125-07-1-0032-0100	0.05744	37.01	14.90	0.296	0.388	0.008	20.83	0.881	27.895	15.911	0.216	0.295	0.006	21.65	0.926	28.688
000094-07-1-0392-0051	0.02000	34.68	15.42	0.277	0.408	0.009	20.54	0.624	27.905	16.075	0.242	0.358	0.006	21.13	0.633	28.726
001339-02-4-0061-0320	0.02932	35.52	16.56	0.209	0.264	0.008	21.22	0.671	28.067	17.054	0.199	0.253	0.007	21.74	0.652	28.486
000125-07-2-0182-0054	0.01780	34.43	13.31	0.433	0.520	0.008	20.57	0.757	27.704	14.734	0.361	0.458	0.008	21.21	0.781	28.481
000094-07-3-0489-0052	0.03754	36.07	13.72	0.493	0.583	0.010	20.31	0.948	27.980	15.104	0.424	0.524	0.010	21.01	0.948	28.435
000756-08-5-0749-0068	0.05053	36.72	15.47	0.268	0.346	0.010	21.02	0.550	28.025	16.679	0.204	0.247	0.008	21.81	0.565	28.569
000094-07-1-0294-0034	0.00588	32.01	14.11	0.261	0.330	0.004	21.10	0.730	28.060	15.277	0.249	0.323	0.005	21.62	0.722	28.857
001339-02-6-0069-0106	0.03058	35.62	14.33	0.515	0.607	0.013	20.08	0.710	27.946	15.367	0.448	0.540	0.013	20.80	0.681	28.377
000094-07-3-0427-0101	0.04918	36.66	14.67	0.485	0.582	0.016	20.23	0.822	27.971	16.030	0.424	0.517	0.018	21.03	0.854	28.606
000094-07-4-0216-0087	0.06028	37.12	14.92	0.488	0.570	0.019	20.42	0.968	27.955	16.485	0.376	0.493	0.018	21.10	0.980	28.643
000094-07-3-0372-0016	0.01934	34.61	13.23	0.403	0.511	0.008	20.40	0.784	28.01							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle\mu\rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle\mu\rangle$	b/a	zp
000094-07-4-0287-0056	0.01872	34.54	15.28	0.382	0.498	0.013	20.37	0.732	27.956	16.223	0.273	0.410	0.009	21.07	0.732	28.596
000094-07-2-0147-0050	0.03790	36.09	14.82	0.254	0.300	0.008	21.14	0.615	27.732	16.108	0.215	0.219	0.007	21.97	0.554	28.573
000094-07-6-0422-0093	0.02499	35.17	14.67	0.369	0.458	0.011	20.58	0.851	27.939	15.868	0.339	0.411	0.013	21.33	0.788	28.588
000125-07-4-0354-0008	0.02480	35.16	15.36	0.410	0.509	0.016	20.50	0.904	27.939	16.661	0.301	0.423	0.011	21.24	0.940	28.569
000125-07-2-0293-0056	0.01961	34.64	14.40	0.470	0.622	0.015	19.83	0.304	27.707	15.625	0.403	0.553	0.013	20.71	0.332	28.514
001339-02-6-0026-0207	0.02699	35.34	14.24	0.243	0.343	0.007	20.79	0.516	27.946	15.324	0.188	0.248	0.005	21.64	0.506	28.607
001359-03-2-0067-0009	0.01103	33.38	15.56	0.219	0.281	0.006	21.26	0.612	27.853	13.792	0.304	0.379	0.004	21.37	0.630	27.072
000752-08-3-0441-0062	0.02958	35.54	14.09	0.309	0.371	0.007	20.91	0.838	28.037	15.055	0.284	0.325	0.006	21.61	0.845	28.668
001359-03-6-0090-0273	0.02856	35.46	15.59	0.247	0.302	0.008	21.23	0.626	27.961	16.951	0.189	0.229	0.007	21.87	0.842	28.617
000756-08-3-0441-0047	0.02122	34.81	16.00	0.218	0.277	0.008	21.20	0.665	28.052	16.838	0.189	0.220	0.007	21.87	0.581	28.684
000125-07-3-0270-0061	0.04534	36.48	15.13	0.338	0.432	0.013	20.62	0.549	27.968	16.267	0.304	0.360	0.016	21.49	0.529	28.550
000094-07-4-0289-0072	0.01904	34.58	16.11	0.211	0.261	0.007	21.27	0.407	28.064	16.912	0.207	0.244	0.007	21.83	0.310	28.659
001336-02-4-0053-0193	0.02971	35.55	14.32	0.213	0.273	0.005	21.13	0.599	28.016	15.637	0.171	0.186	0.004	21.99	0.635	28.654
000125-07-6-0423-0046	0.04981	36.69	14.97	0.424	0.496	0.014	20.69	0.880	27.908	16.580	0.320	0.425	0.012	21.38	0.922	28.468
000125-07-5-0448-0126	0.04048	36.23	14.47	0.233	0.275	0.007	21.22	0.831	27.915	16.060	0.191	0.177	0.007	22.08	0.741	28.476
000094-07-2-0288-0127	0.01814	34.47	13.88	0.453	0.539	0.010	20.56	0.760	27.747	15.335	0.352	0.442	0.012	21.17	0.687	28.590
000094-07-2-0446-0006	0.00514	31.72	16.21	0.536	0.719	0.023	19.14	0.929	26.981	12.346	0.176	0.299	0.003	21.60	0.717	28.661
001359-03-5-0062-0136	0.02920	35.51	15.42	0.221	0.244	0.009	21.23	0.904	27.924	16.452	0.210	0.209	0.008	21.95	0.922	28.538
001336-02-4-0060-0120	0.02740	35.37	15.26	0.262	0.349	0.010	20.93	0.333	27.998	16.179	0.213	0.276	0.008	21.69	0.331	28.672
000756-08-4-0559-0026	0.03150	35.68	17.01	0.204	0.258	0.008	21.29	0.532	28.185	15.469	0.261	0.334	0.007	21.45	0.542	27.516
000094-07-3-0295-0137	0.04671	36.55	14.80	0.464	0.557	0.015	20.36	0.950	27.978	16.438	0.341	0.463	0.013	21.20	0.979	28.679
000752-08-5-0295-0092	0.02299	34.99	13.58	0.421	0.482	0.010	20.75	0.818	27.986	14.940	0.389	0.462	0.010	21.34	0.875	28.382
000752-08-4-0433-0200	0.02986	35.56	13.63	0.531	0.628	0.013	20.08	0.475	28.020	15.095	0.442	0.551	0.014	20.90	0.418	28.688
000125-07-1-0409-0084	0.02097	34.79	14.87	0.401	0.521	0.012	20.25	0.663	27.906	15.977	0.367	0.478	0.012	21.00	0.637	28.707
000094-07-4-0308-0117	0.01832	34.49	15.15	0.311	0.440	0.011	20.73	0.401	27.950	15.912	0.302	0.424	0.008	21.25	0.393	28.549
000756-08-4-0339-0125	0.04225	36.33	14.64	0.398	0.506	0.013	20.47	0.450	28.004	15.976	0.337	0.419	0.014	21.36	0.462	28.674
000094-07-2-0162-0070	0.02210	34.90	14.99	0.287	0.388	0.007	20.93	0.510	27.735	16.032	0.246	0.343	0.006	21.50	0.452	28.571
000094-07-3-0508-0108	0.05476	36.90	14.56	0.444	0.530	0.014	20.55	0.916	27.968	16.179	0.355	0.463	0.014	21.19	0.818	28.479
000752-08-3-0447-0184	0.04419	36.43	14.88	0.280	0.354	0.013	21.09	0.441	28.050	16.344	0.228	0.261	0.012	21.86	0.357	28.663
000094-07-4-0417-0026	0.02004	34.69	14.41	0.192	0.217	0.004	21.42	0.546	28.046	16.053	0.160	0.149	0.004	22.12	0.706	28.649
000094-07-1-0454-0010	0.02240	34.93	14.82	0.449	0.533	0.015	20.51	0.897	27.905	16.238	0.382	0.471	0.014	21.26	0.888	28.740
000094-07-3-0135-0027	0.03624	35.99	15.35	0.223	0.304	0.007	21.01	0.855	27.965	16.157	0.191	0.251	0.006	21.71	0.818	28.576
000756-08-3-0349-0078	0.02480	35.16	14.40	0.427	0.526	0.015	20.21	0.709	28.025	15.748	0.377	0.440	0.016	21.18	0.720	28.675
000125-07-4-0168-0071	0.04369	36.40	15.08	0.402	0.511	0.013	20.45	0.855	27.950	16.534	0.314	0.434	0.014	21.24	0.881	28.605
001339-02-5-0066-0238	0.02742	35.38	14.39	0.407	0.540	0.013	20.23	0.263	27.969	15.989	0.319	0.434	0.011	21.23	0.328	28.621
000752-08-6-0462-0141	0.02524	35.19	14.54	0.411	0.528	0.014	20.24	0.409	27.986	15.829	0.339	0.436	0.013	21.14	0.386	28.654
001359-03-6-0071-0090	0.02860	35.47	14.27	0.388	0.466	0.014	20.62	0.754	27.927	15.528	0.344	0.383	0.014	21.50	0.686	28.596
001336-02-4-0038-0186	0.01133	33.44	12.64	0.265	0.390	0.005	20.44	0.255	28.026	13.917	0.221	0.283	0.004	21.42	0.242	28.679
000125-07-1-0367-0042	0.02340	35.03	14.47	0.233	0.270	0.005	21.25	0.899	27.916	15.675	0.198	0.200	0.006	22.00	0.948	28.723
001356-02-2-0034-0130	0.08290	37.83	14.87	0.446	0.524	0.013	20.59	0.824	27.756	16.245	0.358	0.450	0.011	21.24	0.863	28.333
000752-08-5-0581-0141	0.05252	36.81	15.03	0.454	0.558	0.017	20.45	0.646	27.977	16.695	0.362	0.475	0.020	21.17	0.629	28.653
000756-08-4-0311-0098	0.04060	36.24	14.55	0.396	0.448	0.015	20.88	0.681	28.038	15.945	0.369	0.394	0.019	21.61	0.499	28.683
000094-07-5-0196-0057	0.04476	36.46	14.08	0.435	0.514	0.010	20.55	0.809	27.958	15.555	0.356	0.446	0.011	21.34	0.794	28.545
000756-08-1-0542-0083	0.01808	34.46	13.92	0.247	0.342	0.004	20.94	0.862	27.955	14.605	0.217	0.296	0.003	21.62	0.869	28.811
000094-07-3-0252-0093	0.04447	36.44	16.29	0.215	0.224	0.010	21.44	0.822	28.024	17.421	0.193	0.181	0.010	22.10	0.712	28.590
000125-07-2-0361-0080	0.02311	35.00	13.93	0.385	0.479	0.009	20.51	0.617	27.700	15.251	0.320	0.394	0.009	21.37	0.587	28.496
001339-02-2-0041-0137	0.01253	33.66	15.32	0.211	0.294	0.006	21.03	0.666	27.772	16.115	0.195	0.271	0.006	21.62	0.686	28.626
000125-07-6-0216-0059	0.03313	35.79	14.16	0.410	0.516	0.011	20.38	0.793	27.919	15.321	0.322	0.417	0.011	21.09	0.805	28.551
001339-02-5-0061-0495	0.02894	35.49	15.08	0.282	0.386	0.009	20.76	0.454	27.981	16.522	0.187	0.252	0.005	21.75	0.452	28.611
000756-08-1-0395-0094	0.02867	35.47	14.57	0.267	0.282	0.010	21.28	0.769	27.951	15.702	0.267	0.237	0.014	21.99	0.835	28.812
000756-08-3-0221-0155	0.08382	37.85	14.69	0.473	0.541	0.016	20.63	0.804	28.019	16.459	0.381	0.471	0.015	21.21	0.822	28.661
000756-08-1-0333-0142	0.03346	35.81	15.69	0.224	0.278	0.008	21.23	0.784	27.935	16.736	0.212	0.235	0.010	21.90	0.704	28.822
000752-08-4-0284-0132	0.02532	35.20	14.58	0.257	0.286	0.009	21.18	0.593	28.028	15.492	0.193	0.192	0.007	21.98	0.547	28.669
000125-07-2-0295-0080	0.04070	36.25	13.94	0.430	0.512	0.010	20.61	0.437	27.712	15.100	0.370	0.456	0.010	21.31	0.370	28.218
000752-08-2-0210-0063	0.01947	34.62	14.03	0.406	0.522	0.010	20.30	0.943	27.780	15.361	0.335	0.437	0.010	21.18	0.961	28.632
000125-07-3-0321-0060	0.02100	34.79	13.24	0.544	0.624	0.012	20.20	0.659	27.970	14.705	0.472	0.566	0.012	20.89	0.637	28.625
000094-07-2-0307-0036	0.02745	35.38	14.38	0.518	0.587	0.015	20.38	0.975	27.748	15.868	0.443	0.528	0.016	21.06	0.983	28.596
000752-08-5-0118-0107	0.02628	35.28	15.23	0.328	0.393	0.011	20.89	0.437	27.977	16.329	0.313	0.362	0.012	21.55	0.426	28.574
001359-03-3-0063-0215	0.03494	35.91	15.31	0.261	0.363	0.009	20.88	0.366	27.984	16.575	0.187	0.231	0.007	21.79	0.345	28.641
000756-08-4-0659-0145	0.05303	36.83	14.89	0.463	0.554	0.015	20.40	0.788	28.014	16.489	0.375	0.478	0.017	21.13	0.830	28.716
000752-08-6-0515-0087	0.03316	35.79	14.02	0.416	0.483	0.011	20.78	0.866	27.99							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000094-07-3-0263-0065	0.04476	36.46	14.51	0.441	0.512	0.018	20.62	0.729	27.969	16.038	0.387	0.461	0.016	21.30	0.861	28.581
000756-08-5-0777-0080	0.03969	36.19	14.46	0.499	0.593	0.014	20.30	0.934	28.002	15.837	0.428	0.527	0.016	20.95	0.976	28.513
000125-07-2-0182-0084	0.01700	34.33	12.79	0.502	0.560	0.010	20.51	0.755	27.706	14.335	0.456	0.537	0.010	21.12	0.779	28.507
000125-07-1-0171-0045	0.04318	36.38	15.28	0.283	0.351	0.010	21.02	0.392	27.900	15.017	0.305	0.378	0.012	21.38	0.543	27.485
000094-07-4-0406-0082	0.02484	35.16	15.66	0.254	0.357	0.008	20.81	0.364	27.953	16.015	0.246	0.349	0.007	21.26	0.309	28.589
000756-08-3-0744-0047	0.05435	36.89	14.70	0.493	0.565	0.020	20.46	0.713	28.024	15.520	0.528	0.584	0.019	20.99	0.700	28.188
000752-08-5-0372-0147	0.02402	35.08	15.70	0.199	0.224	0.008	21.42	0.927	28.012	17.055	0.176	0.163	0.007	22.13	0.753	28.604
000752-08-2-0140-0111	0.02138	34.83	14.64	0.216	0.312	0.004	20.89	0.334	27.778	15.840	0.159	0.205	0.003	21.78	0.324	28.613
000094-07-1-0317-0066	0.01836	34.50	12.80	0.409	0.509	0.007	20.49	0.700	27.919	14.133	0.347	0.437	0.007	21.30	0.567	28.735
000125-07-2-0291-0139	0.06192	37.18	15.41	0.226	0.270	0.008	21.17	0.725	27.703	16.763	0.185	0.185	0.007	22.02	0.651	28.494
000125-07-2-0270-0007	0.01915	34.59	14.35	0.470	0.568	0.014	20.31	0.755	27.704	15.708	0.399	0.501	0.011	21.06	0.738	28.561
000125-07-2-0135-0054	0.03407	35.85	14.90	0.478	0.576	0.018	20.31	0.619	27.708	16.231	0.392	0.504	0.016	21.09	0.669	28.514
000094-07-6-0418-0064	0.02206	34.90	13.94	0.521	0.614	0.012	20.25	0.714	27.943	15.261	0.445	0.550	0.013	20.86	0.651	28.548
000094-07-4-0475-0039	0.04174	36.30	14.79	0.413	0.555	0.012	20.13	0.783	27.957	16.229	0.317	0.451	0.013	21.05	0.767	28.615
001359-03-5-0064-0170	0.03592	35.97	13.21	0.487	0.566	0.010	20.44	0.522	27.950	14.652	0.440	0.522	0.012	21.09	0.583	28.539
001336-02-2-0063-0088	0.03021	35.59	14.34	0.415	0.532	0.011	20.39	0.462	27.763	15.783	0.331	0.457	0.011	21.20	0.458	28.616
000756-08-4-0311-0181	0.03862	36.13	13.71	0.500	0.585	0.015	20.34	0.825	28.014	14.958	0.451	0.539	0.013	20.98	0.809	28.494
000752-08-2-0464-0150	0.02560	35.22	14.43	0.304	0.422	0.008	20.58	0.268	27.761	15.938	0.229	0.259	0.007	21.75	0.295	28.618
000125-07-4-0213-0037	0.04340	36.39	14.54	0.453	0.507	0.012	20.74	0.642	27.951	16.204	0.356	0.462	0.015	21.25	0.628	28.593
000756-08-4-0230-0190	0.03253	35.75	13.84	0.414	0.501	0.012	20.65	0.962	28.010	15.362	0.346	0.423	0.011	21.34	0.840	28.674
000125-07-3-0142-0067	0.01947	34.62	13.99	0.220	0.281	0.004	21.14	0.780	27.993	14.991	0.181	0.206	0.004	21.81	0.736	28.568
000094-07-6-0239-0058	0.01734	34.37	14.93	0.432	0.529	0.012	20.45	0.860	27.942	16.252	0.332	0.468	0.013	21.16	0.903	28.622
000752-08-3-0300-0162	0.02243	34.93	14.04	0.340	0.430	0.008	20.74	0.680	28.044	15.012	0.280	0.349	0.008	21.55	0.673	28.669
000094-07-3-0207-0097	0.06387	37.24	14.78	0.396	0.473	0.014	20.70	0.942	27.968	16.465	0.326	0.400	0.014	21.47	0.945	28.574
000125-07-1-0224-0050	0.01724	34.36	13.31	0.457	0.558	0.008	20.28	0.609	27.904	14.636	0.413	0.500	0.010	21.04	0.620	28.705
000756-08-1-0634-0123	0.02463	35.14	14.76	0.471	0.579	0.016	20.40	0.549	27.949	16.279	0.353	0.470	0.016	21.08	0.535	28.877
000125-07-1-0395-0054	0.02691	35.33	13.84	0.487	0.572	0.011	20.33	0.777	27.908	15.233	0.422	0.508	0.014	21.09	0.762	28.726
000756-08-4-0241-0089	0.03343	35.81	14.42	0.493	0.578	0.014	20.38	0.858	28.012	15.781	0.420	0.521	0.017	21.01	0.898	28.668
000125-07-1-0350-0062	0.02827	35.44	14.76	0.474	0.585	0.015	20.33	0.837	27.907	16.181	0.370	0.498	0.014	20.97	0.916	28.762
000094-07-6-0529-0064	0.04067	36.24	14.15	0.482	0.573	0.013	20.35	0.677	27.943	15.721	0.414	0.504	0.012	21.10	0.652	28.592
000125-07-1-0130-0037	0.01379	33.87	16.08	0.191	0.270	0.006	21.23	0.557	27.948	15.315	0.258	0.364	0.005	21.35	0.469	27.771
000094-07-1-0262-0057	0.04437	36.44	14.87	0.444	0.569	0.017	20.17	0.429	27.909	16.229	0.370	0.493	0.017	21.01	0.460	28.753
000094-07-4-0475-0112	0.04296	36.36	13.74	0.466	0.547	0.011	20.50	0.814	27.956	15.311	0.386	0.488	0.013	21.14	0.818	28.560
000752-08-5-0052-0078	0.02124	34.82	13.71	0.338	0.455	0.007	20.55	0.363	27.975	15.177	0.266	0.357	0.007	21.46	0.379	28.576
000756-08-1-0344-0122	0.04651	36.54	14.66	0.415	0.441	0.017	21.03	0.700	27.970	16.427	0.387	0.442	0.020	21.51	0.660	28.822
000094-07-4-0398-0157	0.02577	35.24	13.15	0.187	0.268	0.004	20.95	0.616	27.946	16.028	0.155	0.198	0.004	21.67	0.609	28.582
001336-02-2-0016-0202	0.02194	34.89	13.66	0.298	0.356	0.007	20.96	0.841	27.757	14.820	0.256	0.298	0.007	21.74	0.708	28.619
000125-07-1-0271-0090	0.04195	36.31	14.33	0.349	0.508	0.009	20.23	0.268	27.903	15.731	0.285	0.420	0.010	21.16	0.258	28.718
000756-08-1-0340-0028	0.03819	36.10	14.90	0.528	0.593	0.022	20.44	0.916	27.948	16.304	0.437	0.540	0.019	20.97	0.935	28.802
000094-07-3-0451-0105	0.02826	35.44	13.78	0.401	0.512	0.011	20.31	0.669	27.970	14.853	0.330	0.431	0.008	21.18	0.663	28.582
000756-08-3-0705-0256	0.00560	31.91	15.62	0.162	0.212	0.003	21.37	0.681	28.029	16.445	0.164	0.209	0.003	21.87	0.713	28.647
000752-08-2-0151-0014	0.01960	34.64	14.88	0.425	0.543	0.014	20.23	0.617	27.785	16.124	0.366	0.468	0.014	21.04	0.601	28.624
000094-07-3-0276-0055	0.05062	36.73	14.40	0.432	0.526	0.011	20.51	0.582	27.969	15.958	0.322	0.438	0.010	21.28	0.605	28.577
000752-08-5-0244-0068	0.02555	35.22	14.36	0.327	0.459	0.008	20.44	0.446	27.974	15.625	0.256	0.358	0.007	21.39	0.442	28.580
000125-07-3-0381-0094	0.02753	35.38	14.38	0.252	0.350	0.006	20.81	0.737	27.963	15.312	0.185	0.254	0.004	21.59	0.722	28.555
000756-08-1-0374-0200	0.00328	30.74	16.59	0.150	0.115	0.006	21.72	0.965	27.948	17.107	0.179	0.158	0.009	22.12	0.906	28.753
000756-08-5-0442-0174	0.01966	34.65	15.79	0.194	0.272	0.005	21.14	0.768	27.981	16.340	0.183	0.260	0.004	21.64	0.778	28.589
000752-08-5-0520-0270	0.03505	35.92	14.66	0.486	0.598	0.018	20.15	0.318	27.977	16.219	0.426	0.522	0.019	21.01	0.354	28.686
000125-07-6-0329-0091	0.02225	34.92	14.59	0.519	0.576	0.017	20.51	0.713	27.913	15.689	0.485	0.563	0.015	20.99	0.731	28.397
000094-07-1-0106-0122	0.03291	35.78	14.95	0.226	0.286	0.005	21.16	0.584	27.906	16.060	0.185	0.211	0.005	21.92	0.565	28.725
000094-07-5-0520-0074	0.03054	35.61	14.90	0.297	0.387	0.008	20.89	0.957	27.959	16.018	0.231	0.297	0.008	21.63	0.905	28.533
000752-08-2-0347-0102	0.08488	37.88	15.09	0.447	0.520	0.016	20.59	0.899	27.765	16.666	0.358	0.445	0.014	21.26	0.900	28.496
000756-08-1-0391-0094	0.04636	36.53	14.61	0.416	0.500	0.011	20.55	0.620	27.952	16.136	0.341	0.426	0.011	21.34	0.597	28.795
000125-07-6-0146-0056	0.06817	37.39	15.09	0.385	0.503	0.012	20.52	0.644	27.912	16.568	0.315	0.422	0.013	21.28	0.694	28.534
000094-07-3-0291-0072	0.01706	34.34	13.60	0.381	0.482	0.009	20.54	0.466	27.970	15.010	0.318	0.402	0.008	21.39	0.472	28.587
000756-08-5-0372-0077	0.04919	36.66	14.85	0.489	0.586	0.019	20.23	0.782	28.002	16.505	0.420	0.504	0.021	21.12	0.845	28.743
000094-07-4-0142-0070	0.02195	34.89	13.76	0.487	0.554	0.014	20.46	0.975	27.951	15.090	0.443	0.515	0.014	21.15	0.940	28.534
001359-03-4-0083-0084	0.02922	35.52	15.26	0.365	0.470	0.011	20.70	0.811	27.973	17.093	0.203	0.279	0.008	21.68	0.612	28.636
000094-07-3-0372-0069	0.01990	34.67	13.83	0.255	0.321	0.006	21.04	0.745	28.043	14.845	0.201	0.241	0.006	21.73	0.862	28.641
000125-07-1-0043-0041	0.03600	35.97	13.82	0.429	0.536	0.010	20.31	0.470	27.905	14.989	0.339	0.426	0.008	21.25	0.448	28.721
000125-07-4-0275-0079	0.02264	34.96	14.29	0.419	0.523	0.013	20.37	0.774	27.95							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000752-08-6-0262-0048	0.02034	34.72	13.56	0.390	0.453	0.007	20.84	0.917	27.993	15.172	0.342	0.417	0.009	21.46	0.948	28.651
000125-07-4-0273-0069	0.01938	34.61	14.18	0.320	0.430	0.007	20.73	0.597	27.949	15.025	0.343	0.437	0.007	21.28	0.522	28.566
000756-08-5-0494-0108	0.01685	34.31	14.96	0.207	0.220	0.005	21.47	0.631	28.104	16.095	0.172	0.175	0.004	22.08	0.550	28.670
000756-08-3-0452-0124	0.02083	34.77	14.80	0.456	0.559	0.022	20.31	0.371	28.021	16.005	0.423	0.522	0.020	21.03	0.379	28.679
000752-08-2-0061-0096	0.04359	36.40	15.15	0.298	0.401	0.009	20.77	0.550	27.771	16.414	0.247	0.323	0.008	21.62	0.552	28.630
000125-07-1-0280-0122	0.04179	36.30	14.74	0.435	0.522	0.013	20.50	0.848	27.901	16.229	0.390	0.463	0.017	21.26	0.828	28.720
000756-08-2-0635-0015	0.02464	35.14	13.82	0.305	0.440	0.008	20.49	0.937	27.791	14.647	0.239	0.369	0.006	21.17	0.868	28.645
000094-07-4-0285-0094	0.04482	36.46	14.90	0.482	0.558	0.017	20.47	0.785	27.955	16.403	0.408	0.505	0.017	21.09	0.753	28.627
000094-07-4-0447-0078	0.02824	35.44	14.13	0.430	0.517	0.013	20.48	0.793	27.956	15.461	0.353	0.439	0.011	21.28	0.774	28.559
000756-08-5-0496-0121	0.04631	36.53	15.04	0.481	0.564	0.019	20.43	0.940	28.000	16.555	0.419	0.500	0.022	21.15	0.908	28.648
000752-08-4-0182-0052	0.06845	37.40	14.96	0.418	0.508	0.014	20.57	0.920	28.009	16.344	0.321	0.425	0.012	21.33	0.922	28.390
000752-08-4-0165-0025	0.03953	36.18	13.86	0.463	0.550	0.011	20.47	0.733	28.018	15.241	0.393	0.495	0.010	21.14	0.731	28.529
000094-07-5-0309-0104	0.01690	34.32	15.51	0.265	0.349	0.009	20.84	0.529	27.965	16.012	0.252	0.337	0.008	21.39	0.520	28.539
000756-08-3-0382-0025	0.03982	36.20	16.26	0.184	0.175	0.007	21.54	0.861	28.096	17.895	0.159	0.128	0.010	22.22	0.821	28.684
000752-08-3-0134-0081	0.04090	36.26	14.28	0.339	0.432	0.010	20.67	0.270	28.030	15.739	0.277	0.321	0.012	21.72	0.271	28.658
000094-07-4-0281-0069	0.04745	36.58	14.91	0.507	0.591	0.018	20.27	0.681	27.955	16.435	0.420	0.515	0.018	21.03	0.683	28.693
000094-07-5-0190-0058	0.03867	36.13	14.56	0.456	0.559	0.013	20.37	0.953	27.959	16.016	0.374	0.477	0.013	21.13	0.949	28.565
000125-07-1-0182-0039	0.01765	34.41	13.14	0.572	0.646	0.010	20.20	0.490	27.904	14.571	0.480	0.580	0.011	20.75	0.593	28.751
000094-07-5-0164-0082	0.06164	37.17	14.62	0.449	0.564	0.012	20.32	0.793	27.958	15.983	0.358	0.485	0.011	21.07	0.785	28.418
000094-07-5-0241-0116	0.01800	34.45	14.58	0.250	0.317	0.005	21.10	0.478	27.975	15.462	0.220	0.253	0.005	21.81	0.460	28.546
000752-08-3-0454-0090	0.02455	35.13	14.68	0.243	0.313	0.006	21.18	0.802	28.043	15.840	0.199	0.237	0.005	21.85	0.820	28.671
000094-07-4-0424-0003	0.02231	34.92	13.77	0.565	0.622	0.018	20.35	0.619	27.956	14.876	0.535	0.605	0.018	20.95	0.545	28.596
001356-02-3-0069-0155	0.02702	35.34	13.52	0.493	0.603	0.010	20.15	0.652	27.986	14.906	0.412	0.529	0.010	20.90	0.633	28.611
000752-08-4-0120-0038	0.04655	36.54	15.75	0.319	0.401	0.012	20.89	0.867	28.011	16.250	0.303	0.383	0.012	21.43	0.865	28.665
000125-07-3-0251-0076	0.05520	36.92	15.35	0.414	0.515	0.015	20.48	0.981	27.971	16.346	0.357	0.469	0.013	21.04	0.965	28.490
000094-07-2-0220-0111	0.01947	34.62	14.03	0.442	0.529	0.012	20.48	0.536	27.741	15.333	0.420	0.482	0.014	21.26	0.544	28.559
000094-07-2-0188-0076	0.01813	34.47	13.31	0.489	0.571	0.012	20.32	0.663	27.744	14.679	0.440	0.521	0.012	21.08	0.669	28.575
000756-08-5-0229-0124	0.03334	35.81	14.01	0.408	0.503	0.011	20.49	0.649	27.999	15.231	0.340	0.442	0.010	21.29	0.678	28.586
000125-07-3-0208-0146	0.00567	31.93	16.21	0.116	0.102	0.002	21.68	0.407	28.072	16.976	0.112	0.079	0.002	22.26	0.366	28.617
000125-07-4-0025-0188	0.01725	34.36	16.51	0.206	0.229	0.009	21.46	0.974	28.078	17.447	0.174	0.195	0.008	22.03	0.946	28.357
000094-07-5-0211-0115	0.01783	34.43	15.69	0.174	0.222	0.005	21.29	0.923	27.947	16.392	0.153	0.176	0.004	21.94	0.911	28.519
000125-07-6-0351-0057	0.02434	35.11	13.42	0.412	0.525	0.006	20.47	0.516	27.920	14.957	0.331	0.423	0.008	21.31	0.541	28.542
000094-07-2-0293-0024	0.03375	35.83	13.87	0.285	0.410	0.008	20.52	0.769	27.737	14.876	0.226	0.325	0.008	21.28	0.802	28.576
000094-07-1-0262-0081	0.04396	36.42	14.95	0.479	0.575	0.015	20.33	0.652	27.907	16.366	0.389	0.499	0.013	21.04	0.674	28.714
000756-08-3-0744-0225	0.03449	35.88	13.94	0.457	0.560	0.010	20.36	0.724	28.027	15.465	0.368	0.473	0.013	21.12	0.718	28.662
000125-07-3-0208-0079	0.04672	36.55	14.88	0.210	0.239	0.007	21.21	0.801	27.981	15.885	0.176	0.168	0.005	22.01	0.689	28.551
000125-07-3-0371-0017	0.02910	35.51	13.77	0.448	0.540	0.009	20.49	0.753	27.968	15.307	0.370	0.472	0.011	21.18	0.785	28.556
001359-03-5-0062-0192	0.02788	35.41	13.58	0.515	0.630	0.013	19.92	0.634	27.950	14.966	0.408	0.534	0.012	20.81	0.595	28.581
000125-07-6-0187-0038	0.01779	34.43	13.00	0.544	0.627	0.009	20.14	0.843	27.918	14.351	0.487	0.582	0.010	20.84	0.831	28.570
000752-08-2-0560-0192	0.03782	36.08	15.15	0.290	0.347	0.013	21.01	0.450	27.776	16.361	0.254	0.259	0.014	21.88	0.414	28.620
000756-08-4-0209-0071	0.02016	34.70	15.40	0.388	0.498	0.018	20.52	0.506	28.009	15.868	0.449	0.562	0.017	20.80	0.519	28.467
000752-08-4-0559-0174	0.05389	36.87	15.22	0.260	0.313	0.010	21.15	0.601	28.026	16.788	0.213	0.226	0.012	21.98	0.617	28.670
000756-08-4-0704-0201	0.03700	36.03	15.55	0.228	0.293	0.007	21.10	0.330	28.033	16.787	0.167	0.194	0.006	21.95	0.358	28.694
001356-02-2-0032-0170	0.07336	37.55	14.65	0.345	0.415	0.010	20.91	0.885	27.753	15.013	0.348	0.415	0.009	21.36	0.881	27.599
000094-07-1-0495-0100	0.02666	35.31	14.82	0.330	0.390	0.010	20.94	0.617	27.899	16.011	0.260	0.300	0.011	21.77	0.566	28.725
000094-07-2-0124-0042	0.04163	36.29	15.25	0.404	0.507	0.014	20.55	0.717	27.734	16.641	0.262	0.386	0.014	21.33	0.632	28.577
000125-07-6-0174-0064	0.01749	34.39	15.97	0.195	0.234	0.005	21.36	0.963	28.063	16.820	0.170	0.188	0.005	22.01	0.890	28.625
000094-07-2-0335-0072	0.01719	34.35	14.60	0.245	0.372	0.005	20.59	0.452	27.731	15.517	0.192	0.308	0.004	21.33	0.451	28.571
000752-08-3-0531-0201	0.04313	36.37	14.22	0.331	0.382	0.016	20.85	0.765	28.039	15.739	0.306	0.316	0.016	21.82	0.715	28.662
001356-02-4-0072-0212	0.02620	35.28	15.24	0.295	0.464	0.008	20.28	0.433	27.972	16.100	0.223	0.391	0.008	20.90	0.440	28.611
000752-08-5-0259-0080	0.01934	34.61	14.46	0.287	0.472	0.006	20.18	0.380	27.974	15.723	0.227	0.367	0.005	21.14	0.379	28.581
000752-08-1-0355-0062	0.01851	34.51	14.53	0.211	0.318	0.005	20.76	0.582	27.950	15.427	0.168	0.246	0.004	21.48	0.616	28.802
000094-07-1-0275-0063	0.01850	34.51	14.86	0.462	0.561	0.015	20.26	0.591	27.908	16.099	0.404	0.498	0.014	21.06	0.582	28.724
000756-08-2-0285-0096	0.03124	35.66	14.56	0.311	0.335	0.013	21.15	0.761	27.815	16.659	0.333	0.359	0.016	21.76	0.739	28.662
000125-07-4-0117-0070	0.04238	36.33	14.14	0.486	0.581	0.012	20.29	0.717	27.953	15.777	0.387	0.488	0.012	21.08	0.711	28.640
001339-02-4-0062-0116	0.03304	35.79	14.90	0.464	0.566	0.018	20.24	0.854	28.005	16.134	0.419	0.514	0.017	21.02	0.837	28.670
000094-07-3-0498-0071	0.02270	34.96	14.52	0.329	0.419	0.012	20.87	0.213	28.018	16.296	0.252	0.297	0.009	21.84	0.216	28.633
000094-07-6-0278-0044	0.04983	36.69	14.67	0.449	0.589	0.014	20.23	0.574	27.944	15.760	0.446	0.578	0.020	20.93	0.564	28.586
001356-02-2-0086-0119	0.03024	35.59	13.72	0.452	0.559	0.010	20.19	0.433	27.760	15.131	0.371	0.471	0.010	21.08	0.449	28.616
000752-08-2-0125-0076	0.00613	32.10	14.30	0.203	0.252	0.003	21.27	0.787	27.823	15.284	0.176	0.199	0.003	21.95	0.769	28.647
000125-07-3-0204-0058	0.05330	36.84	15.19	0.330	0.409	0.011	20.89	0.868	27.98							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle\mu\rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle\mu\rangle$	b/a	zp
000756-08-3-0742-0227	0.03832	36.11	14.61	0.452	0.544	0.018	20.41	0.447	28.024	16.093	0.377	0.462	0.015	21.20	0.446	28.666
000125-07-2-0325-0076	0.04142	36.28	14.63	0.490	0.546	0.015	20.69	0.837	27.713	16.112	0.426	0.513	0.015	21.11	0.974	28.416
000094-07-2-0529-0087	0.02332	35.02	14.64	0.482	0.594	0.013	20.19	0.437	27.744	16.264	0.366	0.489	0.013	21.05	0.447	28.646
001339-02-4-0030-0105	0.01666	34.28	14.08	0.509	0.619	0.014	19.32	0.850	28.020	15.013	0.410	0.510	0.013	19.92	0.898	28.577
000752-08-3-0531-0218	0.04331	36.38	14.61	0.458	0.548	0.015	20.45	0.886	28.045	16.118	0.395	0.483	0.014	21.18	0.895	28.692
000094-07-1-0260-0086	0.04406	36.42	14.64	0.344	0.496	0.008	20.40	0.322	27.900	15.946	0.260	0.388	0.007	21.20	0.350	28.733
000756-08-3-0230-0160	0.04522	36.48	14.54	0.473	0.557	0.017	20.46	0.820	28.023	15.863	0.414	0.493	0.017	21.16	0.794	28.533
000125-07-6-0031-0068	0.08498	37.88	14.97	0.394	0.506	0.011	20.53	0.822	27.924	16.334	0.313	0.435	0.011	21.25	0.824	28.311
001336-02-2-0040-0205	0.03062	35.62	14.31	0.358	0.424	0.010	20.89	0.456	27.775	16.375	0.256	0.340	0.008	21.63	0.356	28.573
000752-08-1-0274-0084	0.01891	34.56	13.79	0.301	0.407	0.005	20.76	0.532	27.952	14.971	0.240	0.317	0.005	21.55	0.574	28.801
001359-03-3-0057-0138	0.02018	34.70	13.79	0.370	0.488	0.009	20.49	0.451	28.002	14.944	0.308	0.411	0.009	21.30	0.441	28.635
000094-07-4-0490-0174	0.02596	35.26	15.75	0.223	0.277	0.007	21.24	0.755	27.934	16.661	0.178	0.213	0.006	21.90	0.730	28.565
000125-07-3-0358-0034	0.02904	35.50	14.57	0.421	0.502	0.012	20.61	0.767	27.968	16.095	0.335	0.423	0.011	21.34	0.809	28.544
000125-07-1-0374-0044	0.02814	35.43	14.79	0.453	0.585	0.013	20.18	0.747	27.904	16.178	0.376	0.503	0.015	20.92	0.738	28.688
001336-02-4-0045-0189	0.01678	34.30	14.26	0.250	0.292	0.006	21.18	0.655	28.003	15.188	0.241	0.247	0.006	21.91	0.625	28.642
001336-02-1-0065-0217	0.02991	35.57	15.40	0.287	0.430	0.009	20.50	0.774	27.926	16.232	0.216	0.363	0.007	21.10	0.866	28.775
000125-07-1-0333-0080	0.03728	36.05	14.14	0.503	0.578	0.013	20.41	0.846	27.903	15.488	0.428	0.531	0.013	21.13	0.868	28.703
000756-08-2-0315-0108	0.01839	34.50	13.01	0.365	0.455	0.008	20.67	0.397	27.819	14.500	0.335	0.400	0.010	21.44	0.364	28.515
000094-07-1-0354-0120	0.04248	36.34	14.74	0.503	0.600	0.014	20.26	0.607	27.951	16.273	0.407	0.516	0.015	20.96	0.659	28.801
000125-07-2-0266-0008	0.01607	34.20	14.92	0.348	0.464	0.012	20.50	0.925	27.706	15.962	0.329	0.423	0.012	21.19	0.951	28.500
000756-08-3-0241-0128	0.04606	36.52	14.78	0.498	0.604	0.016	20.15	0.764	28.025	16.183	0.408	0.511	0.017	20.92	0.804	28.676
000756-08-3-0614-0068	0.02333	35.02	14.46	0.349	0.416	0.012	20.85	0.582	28.041	15.746	0.316	0.338	0.013	21.75	0.599	28.677
000125-07-2-0419-0119	0.03666	36.01	14.70	0.375	0.434	0.014	20.91	0.445	27.679	15.150	0.357	0.409	0.014	21.39	0.426	27.577
000125-07-1-0263-0051	0.05943	37.08	14.83	0.322	0.400	0.012	20.83	0.339	27.895	16.390	0.256	0.308	0.012	21.72	0.333	28.705
000756-08-1-0564-0074	0.04782	36.60	14.69	0.457	0.565	0.014	20.34	0.708	27.948	16.181	0.364	0.477	0.016	21.08	0.680	28.804
000752-08-2-0358-0104	0.01781	34.43	13.10	0.452	0.542	0.009	20.44	0.707	27.777	14.643	0.392	0.464	0.009	21.26	0.720	28.605
000125-07-6-0238-0045	0.04305	36.37	14.08	0.450	0.544	0.010	20.46	0.908	27.918	15.611	0.380	0.470	0.012	21.16	0.930	28.564
000125-07-4-0188-0050	0.04678	36.55	14.45	0.414	0.527	0.009	20.29	0.483	27.950	15.923	0.350	0.433	0.012	21.26	0.443	28.605
000125-07-3-0068-0035	0.02413	35.09	13.01	0.546	0.636	0.008	20.06	0.807	27.968	14.424	0.470	0.575	0.009	20.77	0.767	28.545
000094-07-1-0484-0094	0.03920	36.16	14.37	0.492	0.582	0.015	20.29	0.820	27.904	15.867	0.430	0.516	0.015	21.05	0.832	28.762
000094-07-2-0508-0102	0.02370	35.06	15.11	0.388	0.531	0.018	20.26	0.466	27.745	16.179	0.364	0.492	0.017	20.92	0.482	28.573
000756-08-4-0521-0111	0.04760	36.59	14.30	0.478	0.571	0.016	20.33	0.769	28.014	15.731	0.418	0.502	0.014	21.09	0.761	28.668
000752-08-2-0484-0114	0.05051	36.72	14.96	0.282	0.358	0.009	20.92	0.415	27.771	16.445	0.232	0.252	0.009	21.87	0.370	28.644
000125-07-5-0408-0102	0.02419	35.10	13.43	0.519	0.579	0.012	20.49	0.827	27.910	14.979	0.470	0.560	0.012	21.01	0.933	28.466
000094-07-3-0423-0094	0.05432	36.88	14.42	0.413	0.487	0.012	20.61	0.512	27.971	16.043	0.364	0.425	0.014	21.49	0.563	28.583
000756-08-5-0238-0021	0.02120	34.81	13.92	0.490	0.599	0.011	20.23	0.606	28.002	15.352	0.406	0.520	0.012	20.98	0.658	28.677
000125-07-4-0384-0097	0.02879	35.48	14.73	0.258	0.341	0.007	20.96	0.530	27.963	16.243	0.203	0.243	0.006	21.85	0.533	28.601
000756-08-4-0455-0113	0.02098	34.79	13.85	0.369	0.430	0.013	20.81	0.599	28.016	15.077	0.320	0.353	0.011	21.69	0.629	28.679
000125-07-6-0140-0052	0.01375	33.86	14.90	0.285	0.357	0.007	20.99	0.910	27.896	15.635	0.294	0.362	0.008	21.55	0.848	28.398
000752-08-3-0578-0235	0.02858	35.47	15.17	0.341	0.499	0.008	20.36	0.846	28.048	16.284	0.235	0.413	0.008	21.10	0.834	28.689
000752-08-2-0469-0102	0.03836	36.11	13.95	0.496	0.602	0.012	20.18	0.575	27.779	15.453	0.397	0.517	0.013	20.96	0.556	28.675
000094-07-3-0462-0043	0.02914	35.51	15.25	0.309	0.392	0.012	20.81	0.951	27.969	16.294	0.257	0.336	0.009	21.56	0.954	28.573
000756-08-1-0675-0147	0.03033	35.60	13.82	0.530	0.621	0.013	20.15	0.691	27.957	15.172	0.461	0.562	0.014	20.88	0.647	28.805
000756-08-4-0429-0142	0.02063	34.75	14.78	0.307	0.376	0.008	21.04	0.446	28.005	16.131	0.259	0.342	0.007	21.61	0.599	28.671
000756-08-3-0638-0008	0.02525	35.19	14.13	0.362	0.489	0.007	20.54	0.549	28.023	15.357	0.275	0.384	0.007	21.32	0.518	28.686
000125-07-1-0218-0044	0.01794	34.45	13.84	0.433	0.509	0.011	20.60	0.813	27.904	14.989	0.402	0.475	0.011	21.22	0.796	28.539
001356-02-1-0066-0151	0.03394	35.84	14.61	0.466	0.607	0.015	19.97	0.330	27.917	15.935	0.384	0.536	0.013	20.83	0.344	28.760
000125-07-3-0123-0088	0.05977	37.10	14.51	0.365	0.452	0.009	20.74	0.844	27.961	15.940	0.299	0.395	0.009	21.44	0.863	28.375
000752-08-3-0224-0057	0.04719	36.57	14.97	0.457	0.573	0.014	20.36	0.574	28.040	16.319	0.367	0.485	0.015	21.13	0.627	28.569
000125-07-5-0216-0058	0.02865	35.47	13.83	0.489	0.589	0.011	20.31	0.568	27.914	14.735	0.455	0.583	0.009	20.84	0.566	28.280
000094-07-4-0198-0141	0.01802	34.46	15.57	0.233	0.287	0.006	21.23	0.631	28.005	16.145	0.203	0.241	0.006	21.84	0.610	28.616
000094-07-5-0525-0012	0.03640	36.00	14.59	0.442	0.522	0.012	20.59	0.228	27.944	16.519	0.320	0.441	0.012	21.36	0.333	28.511
000756-08-3-0776-0278	0.03768	36.07	15.96	0.239	0.328	0.009	21.05	0.501	28.064	16.496	0.217	0.297	0.007	21.61	0.475	28.667
000752-08-2-0452-0030	0.02433	35.11	13.80	0.421	0.496	0.012	20.49	0.873	27.776	15.093	0.368	0.411	0.012	21.44	0.859	28.624
000752-08-5-0432-0077	0.02452	35.13	14.39	0.488	0.588	0.017	20.12	0.681	27.980	15.556	0.450	0.537	0.019	20.93	0.694	28.579
000756-08-1-0571-0012	0.01800	34.45	14.16	0.474	0.527	0.012	20.55	0.617	27.953	15.326	0.443	0.484	0.014	21.38	0.617	28.813
000125-07-3-0068-0047	0.02379	35.06	14.89	0.465	0.542	0.014	20.49	0.648	27.965	16.311	0.368	0.480	0.013	21.20	0.713	28.555
001356-02-2-0084-0053	0.02929	35.52	14.07	0.451	0.541	0.013	20.47	0.839	27.759	15.478	0.393	0.471	0.013	21.28	0.954	28.604
000125-07-3-0121-0072	0.05984	37.10	14.62	0.467	0.564	0.014	20.38	0.703	27.969	16.059	0.369	0.494	0.013	21.10	0.676	28.474
000125-07-1-0205-0076	0.04671	36.55	14.90	0.377	0.435	0.012	20.92	0.507	27.911	15.007	0.360	0.395	0.011	21.47	0.519	27.677
000756-08-2-0443-0143	0.06254	37.20	14.90	0.354	0.449	0.011	20.67	0.810	27.77							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000752-08-5-0473-0117	0.04992	36.70	14.63	0.350	0.430	0.012	20.80	0.760	27.974	16.207	0.287	0.331	0.011	21.61	0.770	28.587
000752-08-5-0042-0040	0.04465	36.45	15.63	0.292	0.394	0.011	20.89	0.538	27.998	16.999	0.228	0.288	0.009	21.72	0.560	28.605
000094-07-3-0421-0097	0.02037	34.72	14.49	0.287	0.407	0.007	20.60	0.418	27.972	15.344	0.254	0.366	0.007	21.24	0.387	28.574
000125-07-2-0221-0035	0.01887	34.56	14.24	0.424	0.513	0.013	20.49	0.832	27.707	15.521	0.385	0.462	0.013	21.23	0.768	28.486
000094-07-6-0135-0066	0.00630	32.16	15.18	0.218	0.288	0.006	21.19	0.485	27.972	16.090	0.236	0.303	0.007	21.70	0.507	28.494
001336-02-3-0045-0059	0.03080	35.63	15.69	0.200	0.251	0.006	21.16	0.903	27.999	16.340	0.168	0.217	0.005	21.75	0.928	28.643
000094-07-1-0158-0037	0.02316	35.01	13.81	0.364	0.478	0.012	20.31	0.302	27.908	15.209	0.332	0.402	0.010	21.27	0.296	28.732
000094-07-1-0452-0097	0.02333	35.02	14.35	0.233	0.303	0.005	21.02	0.261	27.928	15.875	0.182	0.200	0.005	21.96	0.240	28.752
000094-07-6-0423-0059	0.02206	34.90	14.85	0.375	0.462	0.015	20.62	0.796	27.935	16.233	0.338	0.408	0.015	21.40	0.692	28.589
000125-07-2-0172-0064	0.04390	36.41	14.85	0.426	0.538	0.011	20.36	0.654	27.708	16.353	0.314	0.437	0.011	21.20	0.698	28.510
000125-07-2-0114-0071	0.06434	37.26	14.88	0.439	0.532	0.013	20.43	0.968	27.707	16.277	0.338	0.457	0.012	21.22	0.941	28.389
000125-07-1-0169-0088	0.05005	36.70	14.92	0.249	0.321	0.007	21.04	0.930	27.904	15.935	0.193	0.235	0.007	21.80	0.823	28.690
001359-03-3-0087-0164	0.06251	37.20	14.96	0.392	0.494	0.013	20.62	0.695	27.991	16.327	0.292	0.404	0.010	21.31	0.715	28.490
000752-08-2-0358-0128	0.01890	34.56	14.00	0.411	0.541	0.010	20.33	0.333	27.775	15.415	0.303	0.427	0.007	21.26	0.312	28.627
000752-08-5-0519-0263	0.02860	35.47	15.36	0.196	0.237	0.005	21.27	0.462	28.011	16.565	0.155	0.151	0.005	22.09	0.435	28.587
000752-08-4-0165-0077	0.03884	36.14	15.16	0.319	0.363	0.013	21.14	0.715	28.030	16.934	0.276	0.318	0.014	21.78	0.539	28.684
000125-07-5-0389-0080	0.03122	35.66	14.67	0.460	0.559	0.014	20.33	0.518	27.918	16.162	0.373	0.473	0.013	21.12	0.558	28.498
000094-07-6-0498-0122	0.03687	36.03	14.88	0.480	0.560	0.018	20.33	0.804	27.947	16.134	0.429	0.523	0.019	21.07	0.747	28.573
000756-08-1-0575-0059	0.07389	37.57	14.62	0.461	0.564	0.013	20.30	0.509	27.954	16.200	0.354	0.489	0.015	21.07	0.488	28.860
000752-08-5-0511-0203	0.03698	36.03	15.26	0.218	0.255	0.007	21.28	0.918	27.995	16.587	0.189	0.176	0.008	22.06	0.819	28.595
000752-08-5-0048-0090	0.04507	36.47	14.39	0.458	0.553	0.011	20.40	0.983	27.980	15.937	0.340	0.454	0.011	21.16	0.956	28.586
000752-08-5-0552-0025	0.04011	36.21	14.53	0.482	0.525	0.017	20.73	0.636	27.974	16.241	0.426	0.513	0.018	21.16	0.642	28.571
001359-03-5-0084-0089	0.02864	35.47	15.42	0.214	0.291	0.007	21.11	0.473	27.969	16.413	0.162	0.191	0.005	21.84	0.459	28.563
000125-07-5-0340-0061	0.04847	36.63	14.84	0.455	0.570	0.013	20.20	0.567	27.915	16.356	0.352	0.466	0.015	21.11	0.602	28.559
000094-07-6-0425-0077	0.02220	34.91	14.08	0.470	0.593	0.013	19.96	0.750	27.943	15.389	0.410	0.520	0.015	20.87	0.751	28.597
000125-07-5-0039-0078	0.01733	34.37	14.13	0.438	0.529	0.012	20.55	0.537	27.911	15.539	0.377	0.475	0.011	21.21	0.624	28.486
000094-07-4-0441-0086	0.02669	35.32	12.98	0.457	0.501	0.010	20.56	0.371	27.963	14.229	0.387	0.403	0.009	21.56	0.343	28.611
000752-08-5-0044-0067	0.03245	35.75	14.63	0.431	0.531	0.014	20.42	0.894	27.981	16.023	0.321	0.429	0.010	21.26	0.906	28.548
001356-02-4-0066-0113	0.02840	35.45	14.37	0.211	0.280	0.005	21.08	0.368	27.975	15.665	0.178	0.187	0.004	21.97	0.358	28.618
001356-02-2-0050-0109	0.02751	35.38	14.81	0.273	0.400	0.008	20.59	0.326	27.739	16.134	0.207	0.295	0.005	21.52	0.315	28.594
000752-08-3-0595-0288	0.03790	36.09	14.93	0.337	0.446	0.011	20.61	0.375	28.037	16.399	0.268	0.320	0.012	21.62	0.351	28.674
000125-07-2-0170-0059	0.04519	36.48	14.40	0.443	0.505	0.011	20.74	0.842	27.692	16.020	0.350	0.453	0.012	21.25	0.935	28.495
000094-07-2-0487-0078	0.02818	35.44	14.78	0.308	0.425	0.008	20.68	0.594	27.741	16.183	0.230	0.307	0.006	21.59	0.533	28.567
000125-07-3-0354-0039	0.04363	36.40	14.88	0.430	0.515	0.016	20.56	0.857	27.971	16.364	0.356	0.446	0.014	21.31	0.868	28.577
000125-07-5-0329-0081	0.02182	34.87	15.67	0.275	0.432	0.008	20.53	0.363	27.907	15.848	0.295	0.487	0.009	20.74	0.420	28.426
000752-08-3-0414-0113	0.08854	37.97	15.10	0.420	0.496	0.019	20.69	0.844	28.043	15.884	0.406	0.479	0.019	21.24	0.835	27.967
000094-07-6-0387-0068	0.04049	36.23	15.22	0.272	0.364	0.008	20.92	0.946	27.938	16.103	0.236	0.319	0.007	21.59	0.946	28.585
000125-07-3-0192-0057	0.01805	34.46	14.33	0.254	0.334	0.007	21.00	0.258	27.971	15.770	0.202	0.241	0.007	21.87	0.244	28.545
000756-08-2-0793-0310	0.03903	36.15	14.85	0.421	0.549	0.013	20.25	0.489	27.795	16.280	0.330	0.460	0.013	21.11	0.478	28.668
000756-08-3-0446-0117	0.05036	36.72	14.94	0.343	0.413	0.016	20.75	0.679	28.027	16.001	0.263	0.298	0.014	21.66	0.643	28.660
000125-07-1-0327-0046	0.04045	36.23	15.42	0.319	0.366	0.012	21.02	0.812	27.897	16.783	0.283	0.306	0.017	21.84	0.759	28.693
000125-07-4-0331-0043	0.05404	36.87	14.99	0.307	0.426	0.012	20.63	0.385	27.947	16.359	0.229	0.290	0.008	21.62	0.376	28.611
000752-08-4-0257-0102	0.04086	36.25	14.77	0.420	0.532	0.011	20.45	0.928	28.020	15.879	0.360	0.490	0.009	21.07	0.922	28.648
000125-07-2-0140-0057	0.04573	36.50	15.00	0.454	0.557	0.014	20.31	0.772	27.707	16.497	0.333	0.469	0.013	21.10	0.790	28.588
000125-07-4-0237-0128	0.01642	34.25	15.30	0.212	0.287	0.004	21.10	0.419	27.948	15.992	0.178	0.245	0.004	21.69	0.407	28.589
001359-03-6-0091-0240	0.03051	35.61	15.13	0.225	0.282	0.007	21.16	0.756	27.932	16.339	0.178	0.188	0.006	21.97	0.726	28.605
001339-02-6-0044-0209	0.01103	33.38	15.63	0.197	0.282	0.006	21.07	0.329	27.954	16.384	0.190	0.243	0.006	21.66	0.315	28.629
000756-08-4-0314-0142	0.03786	36.09	14.72	0.360	0.469	0.014	20.58	0.650	28.012	16.033	0.283	0.356	0.012	21.41	0.611	28.682
000756-08-4-0679-0070	0.05559	36.94	14.32	0.509	0.594	0.017	20.33	0.978	28.012	15.658	0.428	0.532	0.016	21.01	0.947	28.489
000752-08-6-0260-0093	0.01960	34.64	14.59	0.339	0.471	0.009	20.53	0.431	27.995	15.897	0.247	0.355	0.007	21.37	0.396	28.630
000125-07-2-0114-0081	0.05792	37.03	14.80	0.339	0.449	0.011	20.60	0.543	27.697	16.098	0.252	0.337	0.008	21.52	0.531	28.490
001356-02-5-0066-0340	0.03587	35.97	16.04	0.210	0.242	0.008	21.36	0.804	27.932	17.006	0.180	0.169	0.006	22.06	0.647	28.531
000756-08-5-0784-0246	0.03787	36.09	14.80	0.445	0.519	0.017	20.38	0.442	27.999	16.240	0.384	0.461	0.017	21.32	0.436	28.622
001356-02-4-0064-0107	0.02831	35.45	13.76	0.237	0.367	0.004	20.65	0.396	27.986	15.071	0.180	0.253	0.004	21.57	0.340	28.625
001356-02-2-0078-0003	0.02849	35.46	15.01	0.361	0.493	0.011	20.33	0.719	27.759	15.338	0.347	0.503	0.009	20.70	0.678	28.595
000752-08-5-0292-0102	0.02313	35.00	15.09	0.180	0.233	0.004	21.21	0.248	28.019	14.787	0.193	0.288	0.004	21.33	0.251	27.372
000094-07-2-0131-0022	0.03573	35.96	14.24	0.280	0.389	0.005	20.85	0.605	27.739	15.938	0.191	0.261	0.004	21.78	0.714	28.550
000094-07-3-0227-0087	0.03026	35.59	15.59	0.247	0.297	0.008	21.22	0.445	27.973	16.342	0.196	0.228	0.005	21.88	0.461	28.575
000756-08-5-0319-0046	0.03737	36.06	14.63	0.519	0.593	0.019	20.36	0.452	28.003	16.230	0.408	0.522	0.016	21.01	0.605	28.662
000094-07-4-0522-0084	0.02353	35.04	13.74	0.548	0.609	0.017	20.30	0.510	27.954	15.409	0.464	0.548	0.012	21.04	0.514	28.639
000752-08-1-0208-0048	0.02064	34.75	13.70	0.276	0.390	0.004	20.77	0.674	27.95							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000125-07-5-0329-0090	0.02076	34.77	13.96	0.283	0.407	0.006	20.61	0.740	27.916	14.961	0.226	0.341	0.005	21.32	0.698	28.481
000094-07-2-0410-0078	0.04109	36.27	15.25	0.367	0.459	0.015	20.73	0.683	27.735	16.849	0.293	0.371	0.013	21.49	0.661	28.533
001336-02-3-0090-0165	0.02434	35.11	13.97	0.480	0.567	0.013	20.30	0.807	28.009	15.396	0.410	0.486	0.015	21.15	0.835	28.650
000094-07-5-0448-0087	0.04460	36.45	14.94	0.328	0.452	0.010	20.41	0.422	27.947	16.184	0.254	0.352	0.008	21.33	0.416	28.533
000756-08-4-0508-0080	0.04705	36.57	14.24	0.443	0.516	0.012	20.63	0.569	28.012	14.388	0.445	0.500	0.013	21.20	0.567	27.653
000125-07-3-0356-0064	0.02156	34.85	13.33	0.429	0.499	0.013	20.61	0.520	27.968	14.660	0.403	0.450	0.012	21.44	0.435	28.545
000094-07-6-0430-0006	0.05247	36.81	14.74	0.317	0.387	0.010	20.91	0.731	27.944	15.862	0.245	0.281	0.010	21.75	0.720	28.590
000125-07-6-0164-0023	0.04199	36.31	14.06	0.426	0.514	0.011	20.58	0.762	27.917	15.558	0.359	0.440	0.011	21.32	0.767	28.564
001359-03-1-0082-0209	0.02945	35.53	14.44	0.502	0.593	0.015	20.23	0.875	27.925	15.894	0.416	0.513	0.014	21.03	0.896	28.815
000756-08-3-0576-0098	0.01733	34.37	14.69	0.353	0.495	0.009	20.37	0.495	28.026	15.895	0.285	0.403	0.011	21.06	0.487	28.667
000752-08-1-0225-0081	0.01985	34.67	15.05	0.222	0.315	0.005	20.93	0.581	27.950	15.874	0.191	0.263	0.004	21.61	0.581	28.803
000756-08-4-0649-0101	0.01323	33.78	15.67	0.270	0.361	0.010	20.73	0.892	27.951	16.120	0.225	0.323	0.008	21.26	0.900	28.810
000125-07-3-0384-0052	0.02799	35.42	14.90	0.340	0.425	0.010	20.85	0.410	27.976	16.420	0.262	0.321	0.011	21.68	0.467	28.561
000756-08-1-0270-0081	0.03454	35.88	15.15	0.332	0.425	0.011	20.77	0.597	27.949	16.177	0.286	0.361	0.011	21.45	0.544	28.804
000125-07-3-0309-0107	0.04146	36.29	14.22	0.459	0.547	0.014	20.42	0.516	27.968	15.700	0.389	0.486	0.014	21.13	0.593	28.536
001359-03-2-0046-0145	0.01027	33.23	15.18	0.251	0.311	0.007	21.18	0.415	27.903	15.639	0.294	0.358	0.009	21.60	0.403	28.686
001339-02-1-0054-0219	0.08107	37.78	14.86	0.317	0.378	0.011	21.00	0.554	27.960	16.286	0.247	0.271	0.009	21.86	0.574	28.826
000752-08-6-0030-0036	0.04735	36.58	14.63	0.399	0.513	0.010	20.50	0.890	27.992	16.296	0.280	0.397	0.008	21.32	0.916	28.637
000125-07-3-0354-0053	0.02133	34.82	12.98	0.395	0.525	0.007	20.28	0.681	27.974	14.030	0.304	0.430	0.006	21.08	0.650	28.516
000752-08-3-0363-0072	0.01264	33.68	13.55	0.310	0.399	0.007	20.84	0.639	28.045	14.822	0.262	0.320	0.007	21.60	0.653	28.641
001356-02-3-0072-0124	0.02670	35.32	14.44	0.333	0.401	0.013	20.80	0.502	27.977	15.732	0.288	0.313	0.013	21.72	0.419	28.606
000752-08-1-0247-0005	0.02030	34.72	13.99	0.284	0.412	0.006	20.69	0.241	27.960	15.438	0.215	0.298	0.005	21.66	0.243	28.810
000756-08-4-0649-0089	0.05548	36.93	14.65	0.466	0.553	0.015	20.43	0.685	28.011	16.178	0.381	0.483	0.014	21.13	0.717	28.706
000756-08-2-0505-0051	0.00543	31.84	13.41	0.210	0.291	0.002	21.01	0.518	27.819	14.239	0.188	0.260	0.002	21.63	0.516	28.661
001339-02-2-0020-0194	0.01038	33.25	14.80	0.301	0.405	0.008	20.66	0.695	27.758	15.326	0.269	0.374	0.006	21.23	0.654	28.625
000125-07-1-0231-0081	0.01538	34.11	13.72	0.389	0.485	0.008	20.54	0.272	27.907	15.056	0.321	0.395	0.008	21.48	0.228	28.709
000756-08-4-0312-0076	0.03891	36.15	13.58	0.472	0.561	0.011	20.43	0.704	28.009	15.111	0.405	0.494	0.012	21.13	0.723	28.663
001336-02-3-0088-0131	0.06070	37.13	15.10	0.360	0.462	0.012	20.77	0.457	27.998	16.787	0.264	0.328	0.013	21.61	0.449	28.665
000094-07-4-0507-0087	0.05226	36.80	14.91	0.450	0.539	0.017	20.53	0.772	27.957	16.497	0.365	0.460	0.015	21.23	0.792	28.545
000752-08-2-0595-0159	0.07665	37.65	14.81	0.449	0.517	0.017	20.63	0.912	27.761	16.691	0.359	0.446	0.017	21.32	0.897	28.541
000756-08-6-0469-0080	0.02391	35.07	14.76	0.252	0.329	0.009	21.00	0.639	27.971	15.640	0.253	0.304	0.012	21.66	0.637	28.630
000094-07-5-0237-0067	0.05858	37.05	14.92	0.340	0.425	0.012	20.74	0.964	27.953	15.676	0.273	0.346	0.010	21.47	0.943	28.534
001339-02-6-0027-0058	0.02624	35.28	16.47	0.206	0.247	0.009	21.36	0.699	27.996	17.327	0.197	0.226	0.010	21.94	0.770	28.636
000756-08-6-0424-0090	0.03950	36.18	14.20	0.405	0.537	0.007	20.10	0.481	27.983	15.621	0.323	0.430	0.008	21.14	0.469	28.612
000756-08-2-0247-0075	0.04607	36.52	14.27	0.514	0.597	0.015	20.29	0.796	27.795	15.824	0.440	0.533	0.015	21.04	0.808	28.716
000125-07-4-0199-0067	0.04156	36.29	14.78	0.345	0.479	0.008	20.52	0.510	27.945	16.086	0.272	0.387	0.006	21.35	0.525	28.584
000756-08-4-0775-0240	0.04957	36.68	14.26	0.400	0.516	0.012	20.37	0.550	28.008	15.722	0.318	0.410	0.010	21.26	0.608	28.670
000094-07-2-0451-0050	0.04427	36.43	14.94	0.402	0.492	0.013	20.64	0.578	27.729	16.570	0.302	0.392	0.012	21.40	0.585	28.562
000125-07-3-0213-0068	0.02485	35.16	14.38	0.259	0.315	0.007	21.13	0.839	27.990	15.466	0.243	0.268	0.008	21.78	0.719	28.561
000094-07-5-0333-0076	0.04273	36.35	14.57	0.301	0.410	0.010	20.73	0.830	27.956	15.782	0.253	0.317	0.009	21.62	0.814	28.512
000756-08-1-0464-0096	0.03940	36.17	14.80	0.357	0.460	0.013	20.68	0.556	27.952	16.014	0.271	0.350	0.011	21.48	0.543	28.810
000756-08-5-0667-0207	0.05400	36.87	14.91	0.450	0.540	0.014	20.44	0.944	28.002	16.459	0.376	0.472	0.018	21.21	0.957	28.655
000756-08-1-0296-0042	0.03887	36.14	14.81	0.483	0.581	0.016	20.16	0.866	27.958	16.060	0.404	0.513	0.017	20.99	0.892	28.822
000756-08-5-0699-0150	0.00636	32.18	16.60	0.127	0.096	0.002	21.73	0.380	28.160	17.403	0.122	0.089	0.003	22.26	0.328	28.681
000094-07-6-0289-0072	0.04432	36.43	15.09	0.314	0.449	0.010	20.49	0.750	27.935	16.048	0.241	0.360	0.010	21.22	0.685	28.588
000125-07-3-0354-0065	0.02182	34.87	14.40	0.289	0.399	0.008	20.61	0.330	27.981	15.534	0.240	0.306	0.006	21.51	0.346	28.572
000752-08-4-0229-0070	0.04726	36.58	14.99	0.438	0.547	0.016	20.37	0.763	28.032	16.511	0.345	0.439	0.012	21.27	0.760	28.761
001359-03-5-0035-0140	0.02728	35.36	14.62	0.216	0.330	0.005	20.73	0.553	27.941	15.791	0.156	0.226	0.003	21.59	0.516	28.542
000094-07-3-0334-0073	0.05662	36.98	15.16	0.269	0.328	0.014	20.90	0.881	27.957	16.186	0.246	0.258	0.012	21.71	0.841	28.567
001356-02-3-0063-0194	0.02611	35.27	14.99	0.409	0.496	0.012	20.51	0.884	28.037	15.959	0.354	0.434	0.013	21.29	0.859	28.412
000756-08-1-0462-0084	0.03948	36.18	14.26	0.362	0.461	0.012	20.57	0.559	27.953	15.477	0.299	0.356	0.010	21.47	0.611	28.813
001339-02-3-0021-0079	0.02258	34.95	15.44	0.297	0.422	0.008	20.69	0.452	27.997	15.790	0.303	0.448	0.010	21.04	0.459	28.628
000756-08-2-0273-0129	0.03456	35.88	14.55	0.492	0.582	0.016	20.35	0.959	27.797	15.779	0.440	0.553	0.015	20.89	0.954	28.547
000094-07-1-0307-0083	0.02585	35.25	14.58	0.353	0.477	0.009	20.43	0.331	27.896	15.843	0.284	0.386	0.007	21.37	0.324	28.740
000125-07-5-0116-0071	0.05961	37.09	14.92	0.286	0.345	0.008	21.04	0.841	27.896	15.785	0.262	0.317	0.007	21.72	0.819	28.475
000094-07-5-0239-0093	0.01777	34.42	13.08	0.380	0.507	0.009	20.32	0.655	27.967	14.216	0.314	0.420	0.008	21.11	0.628	28.546
000756-08-1-0707-0076	0.04156	36.29	14.86	0.447	0.577	0.012	20.09	0.503	27.956	16.250	0.341	0.475	0.011	20.98	0.494	28.821
000752-08-5-0390-0086	0.03634	36.00	14.68	0.212	0.312	0.006	20.80	0.505	27.976	15.719	0.164	0.210	0.005	21.63	0.477	28.580
000094-07-2-0496-0059	0.02261	34.95	14.14	0.261	0.352	0.005	20.97	0.291	27.760	15.691	0.204	0.234	0.005	21.89	0.316	28.578
000125-07-2-0390-0069	0.03714	36.04	14.54	0.297	0.337	0.009	21.09	0.689	27.694	16.154	0.263	0.256	0.012	21.94	0.815	28.516
000752-08-4-0131-0088	0.00610	32.09	15.42	0.269	0.404	0.007	20.70	0.563	28.01							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000094-07-1-0263-0033	0.04408	36.42	13.42	0.474	0.558	0.008	20.42	0.814	27.903	14.989	0.395	0.495	0.009	21.10	0.804	28.723
000094-07-6-0413-0005	0.00515	31.72	14.35	0.276	0.351	0.007	21.01	0.871	27.946	15.099	0.360	0.423	0.012	21.42	0.859	28.487
000094-07-1-0186-0074	0.05451	36.89	15.32	0.360	0.453	0.014	20.63	0.684	27.895	16.385	0.288	0.375	0.012	21.39	0.657	28.716
000752-08-2-0273-0081	0.02959	35.54	14.53	0.264	0.408	0.005	20.55	0.577	27.772	15.507	0.198	0.329	0.005	21.34	0.574	28.618
000094-07-3-0279-0042	0.04796	36.61	14.62	0.532	0.629	0.020	20.02	0.825	27.971	15.845	0.473	0.572	0.021	20.72	0.828	28.536
001359-03-3-0083-0185	0.03000	35.57	13.88	0.450	0.579	0.011	20.02	0.362	28.004	15.244	0.377	0.490	0.012	20.97	0.367	28.658
000756-08-5-0296-0084	0.06575	37.31	14.72	0.316	0.436	0.010	20.65	0.542	27.985	16.267	0.243	0.306	0.009	21.63	0.520	28.595
000094-07-3-0509-0116	0.03644	36.00	14.29	0.481	0.549	0.016	20.65	0.381	27.969	16.119	0.355	0.465	0.013	21.11	0.512	28.572
001356-02-2-0069-0170	0.02912	35.51	15.14	0.311	0.384	0.011	20.92	0.923	27.754	16.408	0.245	0.279	0.011	21.74	0.960	28.590
001356-02-3-0061-0194	0.01125	33.43	15.70	0.226	0.308	0.007	21.15	0.816	28.040	16.402	0.241	0.319	0.008	21.66	0.908	28.650
000752-08-3-0058-0084	0.04534	36.48	14.37	0.463	0.565	0.011	20.33	0.770	28.045	15.599	0.347	0.489	0.009	21.03	0.792	28.644
000752-08-6-0030-0066	0.04668	36.55	14.98	0.397	0.476	0.012	20.76	0.776	27.986	16.673	0.285	0.384	0.011	21.45	0.655	28.604
000752-08-5-0501-0015	0.03035	35.60	13.38	0.488	0.558	0.012	20.46	0.759	27.980	14.854	0.447	0.517	0.014	21.16	0.787	28.582
000756-08-5-0208-0167	0.06192	37.18	14.78	0.410	0.488	0.014	20.67	0.724	27.997	16.646	0.340	0.408	0.017	21.42	0.726	28.549
000752-08-4-0234-0009	0.00378	31.05	13.30	0.384	0.482	0.010	20.45	0.927	28.019	13.700	0.488	0.566	0.011	20.74	0.915	28.397
000756-08-2-0311-0088	0.03847	36.12	14.69	0.458	0.542	0.015	20.24	0.671	27.793	16.229	0.392	0.460	0.017	21.30	0.657	28.744
000094-07-3-0196-0119	0.03287	35.77	14.68	0.187	0.258	0.005	21.08	0.465	27.965	15.822	0.141	0.169	0.003	21.95	0.421	28.580
000094-07-2-0185-0006	0.03218	35.73	15.29	0.257	0.417	0.007	20.46	0.345	27.744	15.846	0.202	0.366	0.005	21.09	0.319	28.581
000125-07-5-0172-0067	0.01799	34.45	13.65	0.284	0.377	0.005	20.86	0.954	27.935	14.548	0.234	0.302	0.004	21.58	0.996	28.492
000756-08-6-0299-0118	0.07115	37.49	15.06	0.479	0.574	0.015	20.31	0.775	27.979	16.595	0.365	0.489	0.017	21.06	0.781	28.741
000125-07-1-0381-0055	0.01353	33.83	12.78	0.418	0.514	0.006	20.52	0.609	27.908	14.442	0.324	0.417	0.006	21.39	0.730	28.698
000125-07-5-0227-0082	0.07923	37.73	14.89	0.420	0.493	0.015	20.72	0.813	27.916	16.570	0.320	0.420	0.013	21.37	0.957	28.440
000125-07-1-0116-0069	0.03788	36.09	14.21	0.379	0.496	0.011	20.40	0.958	27.907	15.321	0.314	0.407	0.009	21.22	0.964	28.729
000125-07-4-0193-0046	0.01760	34.40	15.02	0.224	0.273	0.007	21.18	0.586	27.948	16.124	0.198	0.202	0.007	21.95	0.521	28.590
000752-08-4-0018-0069	0.02153	34.85	13.94	0.397	0.495	0.010	20.58	0.460	28.020	14.780	0.364	0.455	0.009	21.19	0.470	27.869
000125-07-5-0402-0065	0.02909	35.51	15.51	0.267	0.429	0.008	20.54	0.593	27.914	16.074	0.234	0.394	0.007	20.99	0.609	28.457
000094-07-1-0429-0057	0.04908	36.66	14.83	0.297	0.392	0.011	20.63	0.353	27.904	16.178	0.238	0.277	0.011	21.63	0.318	28.733
001356-02-4-0060-0122	0.02038	34.72	13.44	0.421	0.480	0.011	20.71	0.802	27.989	14.663	0.377	0.398	0.012	21.58	0.803	28.630
000094-07-3-0328-0027	0.01714	34.35	14.72	0.180	0.219	0.008	21.36	0.709	27.978	15.822	0.164	0.172	0.007	22.07	0.641	28.552
000756-08-5-0341-0108	0.03944	36.18	13.64	0.344	0.375	0.010	21.07	0.903	28.032	15.588	0.332	0.384	0.013	21.64	0.706	28.633
000094-07-6-0321-0069	0.07778	37.68	14.83	0.394	0.476	0.015	20.69	0.833	27.928	16.568	0.332	0.411	0.015	21.43	0.821	28.589
001356-02-2-0078-0122	0.01103	33.38	13.23	0.470	0.554	0.010	20.43	0.711	27.759	14.594	0.410	0.484	0.010	21.28	0.669	28.595
000094-07-5-0423-0038	0.02281	34.97	15.83	0.375	0.529	0.015	20.26	0.569	27.961	15.799	0.444	0.590	0.014	20.48	0.572	28.500
000094-07-1-0299-0094	0.01747	34.39	14.44	0.412	0.484	0.014	20.76	0.742	27.909	15.800	0.368	0.444	0.015	21.39	0.800	28.724
000752-08-5-0503-0039	0.02956	35.54	15.01	0.373	0.503	0.013	20.35	0.648	27.979	15.943	0.385	0.494	0.016	21.03	0.633	28.569
000756-08-3-0504-0010	0.04823	36.62	13.68	0.473	0.537	0.013	20.57	0.798	28.026	15.233	0.433	0.505	0.014	21.22	0.764	28.644
000752-08-3-0026-0072	0.03642	36.00	14.04	0.461	0.543	0.012	20.45	0.850	28.046	15.413	0.419	0.503	0.011	21.16	0.821	28.695
000752-08-4-0321-0141	0.08782	37.96	15.06	0.449	0.527	0.018	20.62	0.648	28.010	16.562	0.381	0.472	0.017	21.24	0.667	28.676
000125-07-3-0173-0068	0.04488	36.46	15.69	0.257	0.271	0.011	21.33	0.715	27.971	17.257	0.219	0.251	0.011	21.99	0.577	28.564
000094-07-3-0300-0067	0.01726	34.36	14.55	0.454	0.565	0.016	20.23	0.427	27.974	15.881	0.392	0.502	0.013	21.03	0.457	28.589
000756-08-5-0217-0119	0.01253	33.66	12.34	0.504	0.635	0.007	19.90	0.441	28.002	13.821	0.399	0.532	0.007	20.83	0.402	28.606
000756-08-2-0503-0079	0.02335	35.02	14.97	0.433	0.530	0.020	20.47	0.592	27.796	16.356	0.406	0.456	0.022	21.29	0.639	28.727
001336-02-5-0066-0113	0.03032	35.60	14.91	0.427	0.534	0.013	20.40	0.678	27.969	16.386	0.347	0.439	0.013	21.23	0.680	28.624
000752-08-4-0048-0072	0.06716	37.36	14.81	0.427	0.536	0.012	20.39	0.708	28.019	16.108	0.335	0.442	0.011	21.19	0.747	28.569
000125-07-1-0430-0102	0.03079	35.63	15.25	0.243	0.330	0.006	20.96	0.651	27.901	16.162	0.201	0.268	0.006	21.67	0.654	28.709
000125-07-6-0328-0133	0.02082	34.77	14.82	0.207	0.284	0.004	21.04	0.915	27.905	15.814	0.166	0.195	0.003	21.81	0.891	28.541
001359-03-3-0032-0134	0.07996	37.75	15.01	0.399	0.488	0.014	20.67	0.964	27.990	16.490	0.320	0.431	0.014	21.30	0.916	28.403
000752-08-5-0194-0068	0.02897	35.50	14.85	0.399	0.506	0.010	20.58	0.833	27.974	16.319	0.313	0.420	0.010	21.29	0.904	28.596
000752-08-3-0508-0138	0.03688	36.03	14.26	0.411	0.508	0.016	20.46	0.493	28.042	15.504	0.332	0.420	0.014	21.27	0.468	28.646
000756-08-6-0629-0085	0.04896	36.65	14.91	0.316	0.380	0.011	20.89	0.865	27.983	16.039	0.258	0.279	0.009	21.74	0.786	28.627
000752-08-5-0266-0094	0.03361	35.82	13.74	0.386	0.523	0.009	20.23	0.357	28.000	15.236	0.321	0.431	0.010	21.16	0.351	28.634
000094-07-2-0451-0084	0.04530	36.48	14.54	0.447	0.530	0.014	20.47	0.735	27.745	16.048	0.381	0.459	0.014	21.27	0.761	28.586
001359-03-3-0081-0181	0.03032	35.60	15.48	0.243	0.325	0.008	21.03	0.843	27.999	16.532	0.184	0.229	0.005	21.79	0.805	28.649
000756-08-1-0422-0008	0.03650	36.00	15.86	0.302	0.469	0.010	20.29	0.801	27.959	16.086	0.330	0.500	0.010	20.53	0.764	28.798
000094-07-1-0476-0167	0.02752	35.38	15.59	0.191	0.241	0.006	21.24	0.522	27.903	16.521	0.159	0.177	0.005	21.90	0.454	28.728
000752-08-3-0248-0066	0.04034	36.23	15.54	0.237	0.337	0.006	20.82	0.808	28.036	16.028	0.179	0.275	0.004	21.44	0.817	28.665
000756-08-4-0242-0150	0.06231	37.19	15.00	0.491	0.575	0.018	20.35	0.768	28.005	16.373	0.424	0.521	0.019	21.05	0.803	28.655
000752-08-6-0088-0040	0.02149	34.84	14.94	0.253	0.349	0.005	21.00	0.269	28.006	16.246	0.194	0.247	0.006	21.84	0.289	28.679
000094-07-2-0498-0239	0.02103	34.79	14.83	0.321	0.451	0.011	20.44	0.463	27.740	16.036	0.277	0.388	0.009	21.26	0.472	28.569
000125-07-3-0369-0086	0.02906	35.50	15.31	0.299	0.391	0.008	20.83	0.825	27.952	16.017	0.291	0.378	0.007	21.40	0.771	28.545
000125-07-4-0376-0094	0.00949	33.06	16.35	0.135	0.128	0.002	21.64	0.311	28.10							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
001356-02-1-0088-0151	0.06142	37.16	14.89	0.458	0.544	0.015	20.46	0.762	27.922	16.507	0.364	0.468	0.016	21.19	0.792	28.794
000752-08-2-0267-0101	0.02483	35.16	15.74	0.211	0.265	0.005	21.27	0.591	27.836	16.536	0.178	0.211	0.005	21.94	0.554	28.649
001359-03-5-0063-0163	0.02884	35.49	14.72	0.459	0.570	0.016	20.18	0.878	27.952	16.067	0.369	0.492	0.015	21.00	0.885	28.564
000094-07-2-0447-0034	0.04228	36.33	14.77	0.355	0.488	0.011	20.47	0.753	27.743	15.934	0.291	0.399	0.009	21.26	0.791	28.559
000125-07-2-0394-0192	0.02812	35.43	16.08	0.229	0.270	0.008	21.31	0.814	27.760	17.217	0.183	0.215	0.008	21.97	0.725	28.516
000094-07-6-0434-0089	0.02047	34.73	14.85	0.289	0.436	0.008	20.46	0.403	27.942	16.249	0.228	0.332	0.007	21.43	0.408	28.596
000756-08-3-0216-0030	0.04564	36.50	14.64	0.281	0.397	0.009	20.59	0.868	28.021	15.545	0.220	0.318	0.008	21.34	0.878	28.663
000094-07-6-0112-0133	0.03456	35.88	15.13	0.211	0.305	0.006	20.91	0.424	27.939	16.147	0.156	0.208	0.004	21.77	0.402	28.579
000094-07-2-0398-0062	0.04059	36.24	14.18	0.448	0.540	0.011	20.42	0.932	27.742	15.739	0.365	0.465	0.011	21.17	0.944	28.591
001336-02-3-0058-0248	0.03170	35.69	14.36	0.419	0.550	0.014	20.14	0.427	28.004	15.780	0.366	0.475	0.014	21.07	0.460	28.645
000125-07-6-0343-0089	0.00897	32.93	15.62	0.257	0.374	0.007	20.86	0.620	27.912	16.372	0.274	0.391	0.008	21.32	0.607	28.511
000752-08-4-0556-0117	0.03498	35.91	13.70	0.367	0.512	0.008	20.29	0.320	28.020	15.178	0.284	0.396	0.008	21.23	0.315	28.664
000756-08-6-0316-0011	0.03905	36.15	15.08	0.260	0.374	0.008	20.70	0.571	27.983	16.134	0.180	0.267	0.005	21.58	0.569	28.627
000125-07-4-0203-0086	0.01897	34.57	15.77	0.211	0.278	0.005	21.13	0.707	27.934	16.520	0.185	0.235	0.005	21.76	0.740	28.580
000094-07-4-0418-0126	0.04667	36.55	14.87	0.310	0.453	0.007	20.62	0.878	27.949	15.990	0.227	0.331	0.008	21.27	0.723	28.590
000756-08-3-0329-0118	0.03824	36.11	14.87	0.338	0.430	0.016	20.54	0.572	28.021	16.186	0.301	0.340	0.015	21.54	0.559	28.673
000094-07-2-0451-0090	0.02194	34.89	14.44	0.370	0.403	0.013	21.05	0.571	27.750	15.800	0.396	0.421	0.019	21.60	0.407	28.571
000752-08-5-0217-0075	0.02867	35.47	15.60	0.241	0.325	0.006	20.89	0.754	27.991	16.091	0.208	0.298	0.005	21.43	0.726	28.575
000756-08-3-0649-0122	0.05299	36.83	14.90	0.292	0.390	0.010	20.81	0.669	28.017	16.186	0.219	0.268	0.008	21.67	0.728	28.657
000125-07-2-0230-0054	0.05132	36.76	14.66	0.444	0.513	0.014	20.66	0.757	27.693	16.202	0.362	0.457	0.014	21.30	0.775	28.474
000094-07-2-0543-0114	0.03584	35.96	14.85	0.431	0.562	0.012	20.21	0.880	27.745	16.356	0.314	0.459	0.014	21.12	0.839	28.587
000125-07-3-0239-0054	0.05606	36.95	14.64	0.419	0.523	0.013	20.49	0.836	27.971	16.115	0.341	0.451	0.012	21.21	0.826	28.572
000125-07-3-0171-0060	0.04414	36.42	14.85	0.431	0.537	0.012	20.46	0.759	27.967	16.204	0.337	0.458	0.011	21.12	0.757	28.506
000094-07-3-0302-0090	0.07735	37.67	14.39	0.440	0.523	0.012	20.57	0.754	27.965	16.159	0.351	0.443	0.012	21.28	0.780	28.586
000094-07-3-0168-0077	0.02365	35.05	15.13	0.299	0.438	0.008	20.53	0.983	27.974	16.021	0.224	0.367	0.006	21.23	0.949	28.604
000756-08-2-0501-0070	0.04720	36.57	14.17	0.411	0.493	0.012	20.63	0.792	27.791	15.759	0.363	0.424	0.015	21.42	0.807	28.647
000125-07-2-0420-0027	0.03880	36.14	14.52	0.422	0.515	0.011	20.54	0.777	27.704	16.179	0.341	0.438	0.013	21.29	0.769	28.514
000125-07-4-0161-0044	0.05524	36.92	15.09	0.413	0.500	0.015	20.57	0.513	27.945	16.311	0.338	0.394	0.014	21.52	0.494	28.583
001359-03-3-0071-0021	0.02709	35.35	13.34	0.432	0.517	0.010	20.53	0.767	27.996	14.951	0.355	0.451	0.009	21.24	0.756	28.588
000752-08-4-0473-0113	0.05344	36.85	14.75	0.420	0.511	0.014	20.63	0.556	28.015	16.301	0.328	0.398	0.016	21.39	0.516	28.661
000756-08-4-0494-0085	0.02299	34.99	13.07	0.519	0.594	0.011	20.31	0.976	28.013	14.487	0.476	0.549	0.010	21.00	0.945	28.661
000752-08-2-0271-0099	0.07064	37.47	14.99	0.442	0.527	0.016	20.56	0.868	27.775	16.598	0.338	0.444	0.013	21.28	0.889	28.595
001336-02-6-0026-0107	0.02731	35.37	13.26	0.443	0.541	0.011	20.34	0.913	27.973	14.370	0.372	0.482	0.009	21.08	0.921	28.501
000094-07-4-0130-0168	0.00933	33.02	22.62	0.381	0.074	0.032	21.83	0.908	28.153	0.000	0.000	0.000	0.000	0.00	0.000	0.000
000756-08-1-0251-0167	0.04243	36.34	14.96	0.322	0.468	0.008	20.42	0.314	27.952	15.301	0.279	0.450	0.005	21.09	0.241	28.191
000752-08-6-0491-0092	0.02564	35.23	14.24	0.298	0.467	0.006	20.34	0.703	27.993	14.975	0.241	0.411	0.004	21.00	0.713	28.644
000125-07-6-0407-0051	0.02390	35.07	15.18	0.254	0.350	0.006	21.00	0.764	27.926	16.067	0.250	0.338	0.007	21.58	0.705	28.553
001359-03-2-0072-0314	0.00938	33.03	16.51	0.138	0.142	0.002	21.57	0.475	27.804	17.734	0.124	0.106	0.003	22.19	0.426	28.627
000125-07-4-0216-0068	0.02853	35.46	15.28	0.217	0.290	0.007	21.15	0.618	27.957	16.286	0.181	0.209	0.005	21.91	0.611	28.601
000752-08-2-0316-0015	0.00863	32.85	20.80	0.079	0.093	0.013	21.75	0.757	28.066	20.553	0.060	0.121	0.010	22.18	0.485	28.784
000756-08-3-0278-0136	0.03493	35.91	14.94	0.324	0.439	0.011	20.61	0.244	28.024	15.517	0.293	0.393	0.011	21.27	0.234	27.900
000094-07-1-0372-0040	0.04300	36.37	14.76	0.478	0.583	0.016	20.29	0.395	27.904	16.219	0.416	0.530	0.018	21.02	0.464	28.770
000125-07-1-0070-0012	0.03351	35.82	14.97	0.449	0.578	0.011	20.17	0.753	27.905	16.297	0.352	0.490	0.012	20.93	0.737	28.723
000125-07-3-0180-0010	0.04956	36.68	14.83	0.512	0.591	0.015	20.44	0.611	27.970	16.291	0.360	0.515	0.013	21.00	0.615	28.569
000094-07-1-0387-0107	0.04078	36.25	14.71	0.366	0.474	0.012	20.62	0.625	27.901	15.993	0.281	0.370	0.011	21.46	0.619	28.707
000125-07-2-0388-0062	0.01969	34.65	14.61	0.397	0.501	0.009	20.49	0.672	27.702	15.555	0.349	0.450	0.009	21.23	0.681	28.501
000752-08-4-0362-0059	0.04102	36.26	15.11	0.236	0.308	0.008	20.95	0.792	28.014	16.093	0.184	0.230	0.006	21.76	0.844	28.659
000094-07-6-0204-0027	0.01816	34.47	14.22	0.421	0.580	0.011	19.91	0.320	27.940	15.416	0.366	0.522	0.013	20.73	0.308	28.586
000094-07-2-0255-0062	0.00545	31.85	14.64	0.328	0.456	0.007	20.56	0.566	27.743	15.344	0.364	0.494	0.009	20.99	0.519	28.530
000125-07-1-0279-0008	0.04313	36.37	14.59	0.392	0.518	0.010	20.41	0.600	27.904	15.893	0.327	0.432	0.009	21.23	0.594	28.622
000094-07-3-0262-0072	0.04325	36.38	14.51	0.364	0.516	0.009	20.28	0.294	27.967	15.980	0.285	0.411	0.010	21.18	0.362	28.613
000752-08-5-0309-0036	0.02344	35.03	14.62	0.315	0.413	0.008	20.70	0.459	27.973	16.020	0.265	0.339	0.009	21.58	0.450	28.583
001356-02-1-0082-0120	0.02768	35.40	14.66	0.314	0.482	0.008	20.36	0.421	27.916	16.247	0.254	0.367	0.006	21.38	0.462	28.783
000094-07-6-0123-0039	0.02809	35.43	14.94	0.414	0.573	0.010	19.98	0.978	27.941	15.952	0.344	0.524	0.008	20.72	0.974	28.585
000094-07-2-0445-0107	0.02893	35.49	14.60	0.401	0.488	0.015	20.42	0.793	27.740	16.006	0.346	0.412	0.015	21.44	0.826	28.594
000125-07-2-0386-0120	0.01058	33.29	12.14	0.496	0.608	0.006	20.14	0.628	27.706	13.516	0.407	0.538	0.006	20.82	0.546	28.485
000756-08-5-0548-0035	0.01862	34.53	13.46	0.296	0.416	0.005	20.57	0.477	28.000	14.698	0.235	0.311	0.005	21.46	0.437	28.608
000752-08-4-0547-0189	0.04085	36.25	14.44	0.482	0.558	0.017	20.51	0.898	28.016	16.119	0.380	0.482	0.016	21.15	0.905	28.671
001356-02-3-0083-0144	0.02801	35.42	14.15	0.398	0.493	0.009	20.55	0.563	27.984	15.584	0.329	0.412	0.010	21.41	0.572	28.624
000094-07-1-0455-0058	0.02284	34.97	13.57	0.502	0.568	0.014	20.43	0.751	27.905	15.009	0.446	0.527	0.014	21.11	0.766	28.724
000125-07-1-0381-0082	0.01399	33.90	15.00	0.322	0.397	0.009	20.86	0.729	27.898</							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
001356-02-1-0056-0085	0.01259	33.67	12.60	0.342	0.449	0.005	20.62	0.232	27.979	14.247	0.306	0.379	0.006	21.52	0.209	28.439
001356-02-1-0056-0086	0.01293	33.73	15.07	0.383	0.508	0.010	20.44	0.549	27.910	16.063	0.335	0.466	0.009	21.03	0.568	28.697
000094-07-1-0205-0086	0.05809	37.03	14.49	0.347	0.412	0.011	20.82	0.686	27.904	15.887	0.292	0.329	0.011	21.66	0.697	28.727
000094-07-3-0450-0109	0.02458	35.14	14.72	0.447	0.531	0.014	20.48	0.836	27.970	16.028	0.396	0.488	0.014	21.19	0.815	28.578
000125-07-3-0265-0117	0.01819	34.48	14.51	0.384	0.507	0.012	20.50	0.312	27.965	15.923	0.309	0.417	0.011	21.31	0.329	28.571
000752-08-5-0096-0103	0.02858	35.47	13.64	0.323	0.392	0.009	20.88	0.693	27.992	14.892	0.255	0.291	0.008	21.75	0.678	28.586
000094-07-4-0429-0102	0.00871	32.87	17.16	0.177	0.182	0.012	21.59	0.644	28.386	18.635	0.157	0.165	0.011	22.14	0.624	28.993
000094-07-4-0158-0074	0.02611	35.27	12.97	0.482	0.605	0.007	20.03	0.388	27.954	14.474	0.390	0.516	0.008	20.86	0.388	28.621
000125-07-2-0358-0146	0.02185	34.88	15.39	0.212	0.322	0.005	20.93	0.332	27.705	16.059	0.175	0.270	0.003	21.55	0.325	28.506
000756-08-5-0759-0073	0.03877	36.14	14.82	0.447	0.526	0.016	20.59	0.614	27.996	16.410	0.368	0.461	0.016	21.26	0.690	28.652
000094-07-2-0306-0062	0.02554	35.22	14.26	0.523	0.615	0.012	20.23	0.780	27.746	15.736	0.412	0.518	0.014	20.90	0.779	28.590
001339-02-1-0020-0184	0.01499	34.05	13.45	0.331	0.477	0.006	20.35	0.408	27.938	14.481	0.294	0.424	0.007	21.14	0.378	28.799
000125-07-3-0124-0051	0.06096	37.14	15.03	0.417	0.506	0.014	20.58	0.869	27.965	15.793	0.382	0.478	0.015	21.13	0.865	27.953
000125-07-1-0364-0069	0.02272	34.96	14.86	0.269	0.398	0.007	20.66	0.281	27.886	16.433	0.193	0.262	0.006	21.67	0.251	28.706
000752-08-6-0489-0145	0.02553	35.22	13.55	0.344	0.404	0.008	20.99	0.520	28.012	15.122	0.287	0.328	0.008	21.73	0.322	28.673
000094-07-2-0302-0038	0.04467	36.45	14.96	0.376	0.476	0.013	20.69	0.650	27.740	16.434	0.278	0.363	0.011	21.52	0.724	28.582
000094-07-2-0447-0134	0.04190	36.31	15.19	0.253	0.311	0.008	21.12	0.835	27.740	16.776	0.207	0.225	0.008	21.93	0.717	28.569
000125-07-2-0211-0037	0.05386	36.87	15.43	0.251	0.315	0.008	21.01	0.931	27.701	16.131	0.214	0.278	0.006	21.64	0.973	28.495
000094-07-4-0448-0083	0.02782	35.41	14.42	0.299	0.400	0.009	20.82	0.307	28.014	15.801	0.203	0.257	0.006	21.74	0.261	28.615
000094-07-1-0197-0152	0.01891	34.56	15.14	0.160	0.185	0.003	21.37	0.547	27.919	16.149	0.131	0.127	0.003	22.10	0.547	28.737
000125-07-1-0221-0059	0.01730	34.37	13.90	0.423	0.513	0.011	20.50	0.719	27.904	15.184	0.392	0.473	0.011	21.25	0.715	28.706
000756-08-4-0658-0176	0.05343	36.85	14.82	0.432	0.516	0.014	20.57	0.690	28.009	16.386	0.368	0.456	0.017	21.32	0.716	28.698
001359-03-6-0068-0236	0.03072	35.63	15.13	0.262	0.339	0.008	20.99	0.433	27.935	16.634	0.174	0.199	0.005	21.91	0.479	28.595
000125-07-2-0352-0106	0.04312	36.37	15.33	0.264	0.342	0.008	21.01	0.597	27.710	16.706	0.203	0.241	0.008	21.85	0.575	28.511
000756-08-4-0281-0064	0.02838	35.45	15.05	0.362	0.484	0.013	20.44	0.979	28.010	15.762	0.385	0.498	0.014	20.92	0.965	28.658
000094-07-6-0477-0092	0.02308	35.00	14.61	0.258	0.356	0.006	20.94	0.189	27.987	13.686	0.291	0.394	0.004	21.20	0.173	27.042
000752-08-5-0580-0254	0.02862	35.47	14.95	0.296	0.397	0.009	20.81	0.339	27.976	16.378	0.223	0.315	0.007	21.64	0.370	28.575
000094-07-4-0293-0103	0.04477	36.46	13.69	0.417	0.499	0.009	20.61	0.858	27.951	15.297	0.360	0.439	0.010	21.34	0.891	28.596
000125-07-4-0210-0112	0.01261	33.68	14.89	0.213	0.264	0.004	21.23	0.443	27.957	15.419	0.176	0.212	0.003	21.83	0.399	28.592
000094-07-1-0248-0071	0.03382	35.84	14.70	0.355	0.486	0.010	20.56	0.461	27.897	16.046	0.262	0.360	0.010	21.28	0.491	28.725
000125-07-5-0140-0090	0.07700	37.66	14.83	0.404	0.505	0.012	20.57	0.621	27.905	16.425	0.305	0.403	0.011	21.38	0.671	28.477
000125-07-3-0122-0044	0.06128	37.15	14.83	0.327	0.393	0.010	21.01	0.582	27.974	16.452	0.301	0.335	0.015	21.76	0.464	28.572
000752-08-4-0315-0115	0.04811	36.61	14.85	0.469	0.557	0.016	20.49	0.876	28.046	16.369	0.349	0.461	0.014	21.18	0.836	28.697
000094-07-1-0276-0131	0.01896	34.57	14.94	0.255	0.341	0.006	20.99	0.270	27.924	16.504	0.197	0.246	0.006	21.81	0.280	28.737
000125-07-3-0030-0099	0.05784	37.02	14.87	0.273	0.374	0.007	20.80	0.574	27.969	16.451	0.202	0.252	0.007	21.73	0.577	28.555
001336-02-3-0039-0160	0.01199	33.57	15.09	0.384	0.486	0.014	20.55	0.466	28.000	15.952	0.393	0.483	0.013	21.10	0.478	28.615
000756-08-1-0522-0150	0.02269	34.96	16.01	0.161	0.196	0.004	21.38	0.895	27.973	16.679	0.138	0.161	0.003	21.98	0.944	28.816
000752-08-6-0359-0113	0.01804	34.46	13.00	0.497	0.598	0.012	20.16	0.669	27.988	14.130	0.453	0.546	0.011	20.83	0.642	28.394
000125-07-2-0358-0086	0.04445	36.44	14.99	0.323	0.430	0.012	20.71	0.436	27.706	16.532	0.261	0.329	0.011	21.64	0.444	28.513
000756-08-5-0463-0107	0.00710	32.42	15.47	0.172	0.207	0.004	21.40	0.515	28.070	16.465	0.165	0.178	0.004	21.99	0.468	28.670
000094-07-6-0422-0009	0.02194	34.89	13.16	0.519	0.594	0.010	20.30	0.968	27.943	14.289	0.475	0.562	0.010	20.95	0.948	28.358
000752-08-3-0385-0144	0.07538	37.61	14.94	0.476	0.558	0.019	20.44	0.692	28.042	15.925	0.412	0.514	0.015	21.05	0.685	28.164
000752-08-6-0088-0087	0.03431	35.87	15.00	0.368	0.418	0.012	21.06	0.743	27.996	16.792	0.256	0.361	0.011	21.58	0.424	28.646
000125-07-2-0405-0043	0.03710	36.04	15.04	0.374	0.502	0.012	20.49	0.730	27.704	16.155	0.289	0.416	0.010	21.24	0.592	28.501
001336-02-3-0063-0052	0.02808	35.43	14.29	0.462	0.560	0.014	20.33	0.650	28.005	15.801	0.378	0.479	0.012	21.15	0.666	28.669
000752-08-4-0123-0066	0.03922	36.16	15.02	0.295	0.361	0.010	20.94	0.770	28.010	16.436	0.246	0.271	0.010	21.80	0.796	28.664
000094-07-2-0447-0073	0.04364	36.40	14.48	0.408	0.480	0.011	20.73	0.915	27.742	16.076	0.338	0.426	0.012	21.39	0.898	28.529
000756-08-5-0286-0114	0.03202	35.72	14.42	0.454	0.551	0.014	20.41	0.851	28.004	15.727	0.389	0.490	0.015	21.12	0.885	28.607
000752-08-6-0152-0076	0.07064	37.47	14.80	0.472	0.568	0.013	20.36	0.752	27.990	16.374	0.329	0.462	0.012	21.14	0.774	28.644
000752-08-6-0357-0105	0.04193	36.31	14.86	0.262	0.363	0.009	20.74	0.332	28.003	16.146	0.214	0.250	0.010	21.76	0.315	28.670
000752-08-4-0264-0066	0.00784	32.64	15.88	0.266	0.367	0.007	20.85	0.835	28.023	16.090	0.330	0.434	0.011	21.13	0.803	28.670
000125-07-2-0213-0062	0.02749	35.38	13.65	0.499	0.594	0.010	20.19	0.437	27.704	15.054	0.407	0.529	0.010	20.95	0.439	28.489
000125-07-2-0356-0079	0.02153	34.85	13.36	0.355	0.474	0.008	20.53	0.359	27.710	14.670	0.269	0.344	0.008	21.38	0.339	28.506
001336-02-2-0060-0175	0.02997	35.57	13.57	0.525	0.591	0.011	20.40	0.898	27.760	15.141	0.428	0.526	0.012	21.04	0.909	28.633
000752-08-4-0475-0095	0.05322	36.84	15.46	0.273	0.355	0.011	20.95	0.565	28.017	16.473	0.199	0.248	0.007	21.79	0.562	28.667
000094-07-2-0304-0069	0.05426	36.88	14.35	0.488	0.588	0.013	20.30	0.724	27.745	15.837	0.400	0.508	0.012	21.01	0.715	28.577
000125-07-6-0369-0079	0.02294	34.98	14.32	0.180	0.195	0.004	21.39	0.636	27.939	15.801	0.162	0.127	0.004	22.18	0.799	28.584
000756-08-4-0701-0117	0.02885	35.49	14.99	0.515	0.590	0.018	20.31	0.709	28.016	16.221	0.465	0.556	0.020	21.05	0.646	28.679
000125-07-1-0168-0111	0.03907	36.15	14.67	0.399	0.513	0.011	20.37	0.519	27.903	16.128	0.318	0.421	0.011	21.22	0.520	28.711
000752-08-5-0414-0010	0.04768	36.60	14.41	0.469	0.570	0.015	20.31	0.450	27.976	15.968	0.391	0.495	0.017	21.10	0.455	28.653
000125-07-3-0169-0062	0.04488	36.46	15.18	0.312	0.417	0.009	20.79	0.742	27.9							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C^d	G^e	ΔG^f	$\langle \mu \rangle^g$	b/a^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle \mu \rangle$	b/a	zp
000756-08-1-0642-0102	0.05379	36.86	14.25	0.394	0.487	0.010	20.62	0.759	27.953	15.927	0.321	0.409	0.011	21.40	0.751	28.831
000756-08-3-0530-0043	0.00391	31.12	15.05	0.257	0.332	0.006	21.19	0.607	28.281	16.211	0.268	0.385	0.009	21.49	0.461	28.971
000756-08-5-0271-0062	0.02160	34.85	14.56	0.404	0.500	0.012	20.56	0.802	27.996	15.378	0.384	0.488	0.011	21.08	0.812	28.571
000756-08-1-0561-0115	0.08179	37.80	14.97	0.442	0.537	0.014	20.46	0.888	27.956	16.432	0.358	0.466	0.014	21.21	0.891	28.665
000125-07-2-0258-0137	0.01762	34.41	14.91	0.196	0.273	0.004	21.13	0.173	27.750	15.879	0.161	0.194	0.003	21.86	0.177	28.540
000756-08-1-0382-0104	0.02608	35.27	14.40	0.535	0.594	0.018	20.43	0.759	27.954	15.889	0.473	0.560	0.016	20.95	0.861	28.813
000756-08-5-0461-0108	0.02155	34.85	14.64	0.491	0.616	0.017	20.00	0.386	28.004	15.894	0.421	0.551	0.017	20.80	0.403	28.650
000125-07-4-0208-0021	0.01859	34.52	14.50	0.229	0.383	0.005	20.47	0.379	27.943	15.600	0.174	0.290	0.005	21.27	0.367	28.586
001339-02-6-0066-0099	0.02519	35.19	14.23	0.478	0.627	0.014	19.81	0.324	27.958	15.534	0.413	0.552	0.015	20.68	0.320	28.662
000094-07-4-0293-0056	0.04467	36.45	14.50	0.413	0.499	0.018	20.52	0.443	27.952	15.779	0.388	0.462	0.017	21.28	0.368	28.598
000125-07-6-0350-0069	0.02438	35.12	15.35	0.299	0.354	0.008	21.04	0.886	27.922	16.580	0.246	0.292	0.009	21.78	0.843	28.558
000125-07-1-0430-0092	0.03048	35.61	14.97	0.248	0.264	0.008	21.35	0.820	27.891	17.323	0.217	0.228	0.009	21.89	0.842	28.716
000125-07-2-0213-0149	0.00661	32.27	16.31	0.128	0.165	0.003	21.50	0.311	27.720	14.984	0.205	0.324	0.003	21.44	0.203	27.275
000125-07-2-0245-0092	0.01733	34.37	15.41	0.190	0.258	0.006	21.09	0.407	27.711	16.153	0.162	0.212	0.004	21.76	0.356	28.519
000125-07-1-0168-0122	0.04972	36.69	13.74	0.450	0.555	0.010	20.19	0.549	27.905	15.046	0.366	0.456	0.012	21.11	0.531	28.717
000094-07-4-0239-0098	0.04352	36.39	14.82	0.294	0.350	0.011	21.05	0.537	27.972	16.004	0.224	0.245	0.008	21.88	0.505	28.599
000125-07-2-0420-0075	0.02046	34.73	14.87	0.231	0.340	0.005	20.83	0.709	27.693	16.138	0.185	0.252	0.006	21.71	0.671	28.490
001356-02-3-0083-0326	0.02978	35.56	15.88	0.217	0.229	0.009	21.47	0.737	27.975	17.460	0.197	0.233	0.010	21.95	0.630	28.603
000752-08-5-0239-0041	0.04729	36.58	15.30	0.332	0.446	0.011	20.60	0.511	27.972	16.466	0.212	0.314	0.007	21.48	0.519	28.591
001336-02-1-0059-0295	0.02961	35.54	15.69	0.190	0.239	0.004	21.31	0.490	27.934	16.469	0.159	0.176	0.003	22.00	0.475	28.807
000094-07-1-0451-0063	0.02372	35.06	13.24	0.369	0.468	0.008	20.59	0.591	27.907	14.376	0.336	0.403	0.009	21.42	0.539	28.725
000752-08-2-0152-0063	0.03348	35.81	13.69	0.355	0.447	0.010	20.67	0.384	27.777	15.251	0.325	0.402	0.010	21.57	0.425	28.607
000125-07-1-0168-0127	0.04304	36.37	14.93	0.252	0.426	0.006	20.30	0.164	27.895	16.091	0.227	0.354	0.007	21.12	0.138	28.713
001339-02-4-0063-0062	0.02932	35.52	14.76	0.370	0.414	0.012	20.90	0.920	27.993	16.315	0.350	0.371	0.016	21.71	0.707	28.651
000752-08-2-0574-0195	0.03685	36.03	15.64	0.180	0.205	0.006	21.42	0.696	27.781	16.996	0.153	0.138	0.006	22.16	0.706	28.604
000125-07-3-0318-0080	0.02123	34.81	13.04	0.247	0.324	0.004	20.94	0.459	28.002	14.414	0.216	0.232	0.005	21.88	0.485	28.583
000094-07-3-0192-0089	0.06483	37.28	14.60	0.458	0.538	0.015	20.54	0.836	27.961	16.228	0.381	0.470	0.015	21.24	0.911	28.574
000094-07-3-0134-0096	0.02325	35.01	14.45	0.483	0.564	0.014	20.44	0.713	27.973	15.855	0.406	0.503	0.015	21.15	0.710	28.579
001339-02-1-0037-0164	0.02749	35.38	15.10	0.341	0.413	0.014	20.87	0.942	27.994	16.570	0.297	0.359	0.016	21.59	0.920	28.651
001339-02-3-0015-0169	0.01712	34.34	14.86	0.234	0.305	0.006	21.16	0.677	28.009	15.828	0.185	0.240	0.004	21.84	0.651	28.652
000752-08-4-0219-0066	0.01311	33.76	14.85	0.350	0.475	0.010	20.51	0.501	28.016	15.636	0.346	0.474	0.010	21.02	0.519	28.597
000094-07-6-0424-0115	0.02076	34.77	13.91	0.397	0.527	0.010	20.37	0.984	27.940	14.991	0.302	0.436	0.009	21.11	0.971	28.554
000752-08-2-0457-0130	0.05466	36.90	14.95	0.419	0.525	0.013	20.42	0.940	27.779	16.526	0.323	0.425	0.013	21.27	0.924	28.650
000756-08-1-0629-0119	0.02471	35.15	14.83	0.436	0.530	0.015	20.46	0.673	27.956	16.003	0.409	0.509	0.015	21.11	0.673	28.787
000756-08-6-0455-0124	0.05010	36.70	14.86	0.248	0.365	0.009	20.62	0.736	27.977	15.604	0.179	0.294	0.006	21.29	0.664	28.635
000752-08-5-0043-0033	0.03306	35.79	14.43	0.402	0.511	0.011	20.47	0.602	27.972	15.909	0.302	0.412	0.007	21.28	0.594	28.586
001336-02-2-0084-0127	0.06189	37.17	15.22	0.349	0.434	0.011	20.88	0.982	27.759	16.453	0.289	0.345	0.013	21.57	0.864	28.619
000094-07-2-0202-0102	0.03977	36.19	15.25	0.315	0.412	0.011	20.71	0.550	27.738	16.495	0.236	0.292	0.008	21.60	0.532	28.595
000752-08-5-0318-0026	0.00391	31.12	17.21	0.134	0.107	0.006	21.73	0.314	28.372	16.646	0.143	0.141	0.004	22.10	0.272	28.468
000094-07-1-0481-0072	0.03859	36.13	13.26	0.093	0.586	0.012	20.32	0.802	27.907	14.629	0.443	0.534	0.012	20.99	0.791	28.696
000752-08-6-0455-0073	0.04757	36.59	14.74	0.463	0.546	0.015	20.58	0.679	27.995	16.365	0.336	0.441	0.015	21.23	0.863	28.649
001339-02-5-0059-0098	0.02905	35.50	13.71	0.344	0.428	0.010	20.83	0.386	27.980	15.280	0.311	0.369	0.010	21.65	0.418	28.600
001356-02-5-0082-0199	0.02936	35.53	14.56	0.412	0.508	0.013	20.54	0.612	27.926	15.866	0.309	0.395	0.012	21.39	0.670	28.346
000752-08-3-0515-0202	0.00571	31.95	14.46	0.209	0.309	0.003	20.90	0.304	28.052	15.121	0.176	0.269	0.004	21.47	0.294	28.681
001356-02-5-0065-0099	0.02789	35.41	14.68	0.509	0.636	0.013	19.80	0.567	27.938	16.103	0.380	0.537	0.016	20.72	0.590	28.550
000756-08-1-0714-0093	0.02646	35.30	13.85	0.426	0.505	0.013	20.57	0.872	27.957	15.319	0.379	0.439	0.013	21.40	0.880	28.815
001336-02-3-0061-0134	0.02738	35.37	14.61	0.433	0.532	0.012	20.47	0.928	28.000	15.958	0.358	0.464	0.013	21.24	0.938	28.626
001359-03-6-0104-0199	0.05247	36.81	15.03	0.287	0.364	0.010	20.91	0.340	27.970	16.802	0.246	0.275	0.013	21.84	0.368	28.641
000756-08-5-0533-0094	0.04072	36.25	15.12	0.272	0.306	0.009	21.23	0.528	28.008	16.661	0.231	0.257	0.012	21.87	0.412	28.612
000094-07-6-0192-0038	0.03941	36.17	14.99	0.483	0.563	0.015	20.43	0.947	27.942	16.467	0.391	0.504	0.018	21.10	0.874	28.616
000752-08-5-0066-0185	0.02079	34.77	16.35	0.216	0.264	0.009	21.37	0.821	28.080	17.736	0.194	0.234	0.009	21.93	0.754	28.628
000752-08-4-0038-0044	0.06495	37.28	14.84	0.399	0.497	0.011	20.55	0.909	28.011	16.455	0.293	0.399	0.011	21.40	0.908	28.650
000125-07-1-0326-0015	0.00509	31.70	14.01	0.227	0.352	0.003	20.94	0.217	27.967	14.961	0.165	0.318	0.003	21.51	0.155	28.783
001356-02-2-0061-0198	0.02691	35.33	14.67	0.384	0.465	0.014	20.68	0.705	27.756	15.944	0.325	0.392	0.012	21.48	0.676	28.596
000094-07-4-0263-0064	0.04208	36.32	14.58	0.425	0.525	0.015	20.46	0.474	27.952	16.124	0.349	0.445	0.013	21.26	0.463	28.621
000094-07-2-0360-0067	0.02225	34.92	14.28	0.476	0.579	0.015	20.18	0.916	27.748	15.590	0.413	0.511	0.015	20.99	0.913	28.596
000094-07-3-0192-0095	0.06342	37.23	14.93	0.424	0.524	0.014	20.52	0.827	27.971	16.605	0.317	0.411	0.014	21.35	0.808	28.589
000756-08-4-0507-0113	0.08914	37.99	14.60	0.403	0.493	0.013	20.63	0.557	28.005	16.011	0.347	0.438	0.013	21.34	0.594	28.418
000125-07-1-0415-0091	0.02505	35.18	14.73	0.312	0.413	0.011	20.75	0.218	27.922	16.207	0.235	0.298	0.011	21.75	0.208	28.733
000756-08-5-0495-0084	0.02551	35.22	15.28	0.298	0.349	0.014	21.01	0.812	28.001	16.404	0.265	0.269	0.015	21.85	0.797	28.610
001336-02-3-0063-0227	0.02658	35.31	14.55	0.436	0.565	0.013	20.24	0.406	28.0							

Table 1—Continued

ID ^a	z	DM ^b	i^* -band							g^* -band						
			mag ^c	C ^d	G ^e	ΔG ^f	$\langle\mu\rangle$ ^g	b/a ^h	zp ⁱ	mag ^j	C	G	ΔG	$\langle\mu\rangle$	b/a	zp
000756-08-1-0474-0004	0.00708	32.42	12.81	0.421	0.522	0.007	20.55	0.464	27.965	14.034	0.334	0.449	0.006	21.19	0.453	28.815
000094-07-6-0192-0046	0.03983	36.20	14.70	0.452	0.532	0.013	20.44	0.819	27.937	16.210	0.380	0.474	0.015	21.25	0.822	28.591
000756-08-4-0343-0125	0.02472	35.15	14.57	0.479	0.585	0.016	20.22	0.568	28.010	15.975	0.411	0.520	0.017	21.05	0.620	28.695
000094-07-2-0445-0166	0.04274	36.35	15.92	0.189	0.214	0.007	21.42	0.795	27.773	17.366	0.166	0.150	0.007	22.14	0.674	28.582
000756-08-1-0546-0052	0.01866	34.53	13.37	0.534	0.620	0.012	20.15	0.659	27.957	14.633	0.485	0.577	0.011	20.84	0.656	28.827
000752-08-1-0226-0066	0.02028	34.71	15.16	0.232	0.320	0.005	21.11	0.136	27.989	14.730	0.310	0.394	0.006	21.38	0.185	27.566
000756-08-6-0421-0107	0.00627	32.15	15.55	0.206	0.262	0.005	21.32	0.457	28.251	11.989	0.254	0.338	0.003	21.35	0.799	26.334
000125-07-1-0164-0040	0.04648	36.54	14.92	0.384	0.471	0.013	20.50	0.585	27.902	16.209	0.331	0.382	0.012	21.48	0.566	28.634
000094-07-4-0231-0056	0.03489	35.91	13.66	0.494	0.569	0.010	20.42	0.481	27.955	14.863	0.468	0.548	0.012	21.12	0.403	28.582
000125-07-1-0217-0049	0.01750	34.39	15.07	0.321	0.455	0.009	20.60	0.808	27.901	16.352	0.258	0.376	0.008	21.36	0.785	28.710
000752-08-1-0145-0077	0.07364	37.56	14.86	0.436	0.511	0.015	20.66	0.736	27.938	16.530	0.342	0.438	0.013	21.31	0.879	28.719
000752-08-3-0560-0307	0.07098	37.48	14.22	0.417	0.533	0.014	20.33	0.354	28.040	15.880	0.345	0.442	0.017	21.27	0.369	28.650
000094-07-6-0437-0106	0.04678	36.55	14.70	0.342	0.469	0.010	20.40	0.538	27.939	16.013	0.259	0.362	0.010	21.38	0.540	28.593
000756-08-5-0382-0082	0.01996	34.68	19.85	0.119	0.226	0.046	21.44	0.529	27.995	16.236	0.162	0.283	0.006	21.70	0.799	28.594
000094-07-3-0478-0050	0.01983	34.66	13.86	0.327	0.468	0.010	20.22	0.952	27.969	14.802	0.279	0.390	0.008	20.99	0.939	28.578
000125-07-2-0171-0053	0.04183	36.31	14.71	0.466	0.579	0.012	20.24	0.969	27.708	16.091	0.361	0.508	0.013	20.93	0.987	28.464
001336-02-5-0036-0196	0.03133	35.67	14.83	0.443	0.540	0.013	20.44	0.863	27.970	16.229	0.378	0.475	0.013	21.18	0.768	28.563
000752-08-4-0245-0057	0.02057	34.75	14.54	0.424	0.566	0.010	20.25	0.401	28.019	15.837	0.314	0.455	0.008	20.99	0.482	28.711
000125-07-2-0350-0067	0.05383	36.86	14.78	0.479	0.556	0.015	20.49	0.770	27.705	16.415	0.367	0.472	0.016	21.20	0.760	28.535
000094-07-1-0421-0083	0.01979	34.66	14.62	0.372	0.513	0.011	20.22	0.377	27.900	15.860	0.313	0.419	0.010	21.17	0.343	28.735
000094-07-2-0480-0012	0.02530	35.20	14.44	0.461	0.564	0.014	20.25	0.858	27.742	15.981	0.365	0.465	0.015	21.17	0.857	28.583
000752-08-3-0251-0049	0.09367	38.10	15.33	0.417	0.539	0.013	20.44	0.764	28.052	16.257	0.387	0.522	0.013	20.88	0.846	28.647
000094-07-6-0486-0086	0.03790	36.09	15.83	0.266	0.304	0.009	21.21	0.620	27.979	16.447	0.216	0.231	0.009	21.92	0.546	28.600
000125-07-1-0219-0065	0.01944	34.62	14.56	0.441	0.503	0.014	20.69	0.637	27.898	15.910	0.399	0.489	0.014	21.24	0.676	28.691
001359-03-3-0056-0222	0.02040	34.73	14.56	0.463	0.581	0.013	20.16	0.574	28.001	15.865	0.378	0.503	0.013	20.98	0.587	28.651
000094-07-4-0291-0068	0.04437	36.44	14.70	0.342	0.433	0.011	20.71	0.442	27.949	16.084	0.273	0.325	0.012	21.60	0.397	28.587
000125-07-3-0308-0003	0.02585	35.25	14.01	0.535	0.592	0.017	20.43	0.444	27.968	14.225	0.557	0.592	0.016	20.86	0.476	28.013
000125-07-4-0413-0105	0.02273	34.96	14.26	0.239	0.272	0.009	21.26	0.799	27.984	15.674	0.190	0.163	0.008	22.12	0.816	28.616
000752-08-5-0474-0057	0.05193	36.78	14.50	0.506	0.597	0.013	20.24	0.718	27.980	15.479	0.369	0.494	0.010	20.99	0.799	28.169
001359-03-4-0046-0060	0.02834	35.45	14.52	0.243	0.304	0.006	21.11	0.941	28.051	16.001	0.203	0.212	0.006	21.95	0.852	28.660

^aDesignation from SDSS EDR Database

^bDistance modulus assuming $H_0 = 70 \text{ km sec}^{-1} \text{ Mpc}^{-1}$, $\Omega_M = 0.3$, $\Omega_\Lambda = 0.7$

^cIsophotal magnitude above $i^* = 24.0 \text{ mag arcsec}^{-2}$ threshold

^dCentral concentration

^eGini coefficient

^fOne sigma error on Gini coefficient

^gMean surface brightness in units of mag arcsec^{-2}

^hAxial ratio

ⁱZero point

^jIsophotal magnitude above $g^* = 24.5 \text{ mag arcsec}^{-2}$ threshold